VOLUME 77: AUTHOR INDEX

Abe H *see* Usui T *et al*
Abernethy C *see* Devonshire P *et al*
Acheson JF *et al*. Churg-Strauss vasculitis presenting with severe visual loss due to bilateral sequential optic neuropathy: *case report*, **118**
see also Heath JD *et al*
Ahmed S, Young JDH. Late onset esotropia in monozygous twins: *case report*, **189**
Akiba J *et al*. Anomalous Cloquet's canal in a case of optic nervehead coloboma associated with extensive retinal detachment: *case report*, **381**
Akingbehin AO. Granulomatous uveitis and metipranolol: *correspondence*, **536**
Al-Hazzaa SAF *et al*. Subcutaneous neuroglial choristoma: an immunohistopathological case study: *case report*, **817**
Al-Hedaithy SSA *see* Al-Rajhi AA *et al*
Al-Rajhi AA *et al*. *Scytalidium dimidiatum* fungal endophthalmitis: *case report*, **388**
Al-Tuwarqui W *see* Gupta VK and Al-Tuwarqui W
Al-Umran K, Pandolfi M. Corneal diameter in premature infants: *correspondence*, **128**
Ali-Melkkilä *et al*. Regional anaesthesia for cataract surgery: comparison of three techniques, **771**
Allan BDS *et al*. Pterygium excision with conjunctival autografting: an effective and safe technique, **698**
Amoaku WMK *see* Archer DB *et al*
Aouizerate F *et al*. Detection of *Toxoplasma gondii* in aqueous humour by the polymerase chain reaction, **107**
Apfelstedt-Sylla E *et al*. Ocular findings in a family with autosomal dominant retinitis pigmentosa and a frameshift mutation altering the carboxyl terminal sequence of rhodopsin, **495**
Apkarian P *see* Suttorp-Schulten MSA *et al*
Araki S *et al*. Familial clustering of human T lymphotropic virus type 1 uveitis: *case report*, **747**
Archer DB *et al*. Choroidoretinal neovascularisation following radon seed treatment of retinoblastoma in two patients, **95**
see also Chakravarthy U *et al*
Arden GB *see* Moore AT *et al*
Arsura EL *see* Ismail Y *et al*
Atkinson PL *see* Ling C *et al*
Awad A *see* El-Asrar AMA *et al*
Awad AH *see* Al-Rajhi AA *et al*

Baak JPA *see* Coleman K *et al*
Baarsma GS *see* La Hey E and Baarsma GS
La Hey E *et al*
Badawi N *see* Beigi B *et al*
Baez KA *see* Shields CL *et al*
Bandello F *see* Menchini U *et al*
Barboni P *see* Puddu P *et al*
Barker NH *see* Pitts JF *et al*
Barnard NAS *see* Lawrenson JG *et al*
Barrett GD *see* Allan BDS *et al*
Barrie T. Ocular complications of diabetes after cataract extraction: *editorial*, **198**
Beaumont P, Kang K. Tono-Pen tonometry: *correspondence*, **754**
Beaumont PE *see* Gillies MC *et al*
Beck L *see* Reardon W *et al*
Begueret J *see* Aouizerate F *et al*
Beigi B *et al*. Ophthalmic findings in classical galactosaemia - prospective study, **162**
Belkin M *see* Melamed S *et al*
Benger R *see* McCluskey P *et al*
Bentley CR *see* Acheson JF *et al*
Berninger T *see* Geier SA *et al*
Berquet S *see* Grochowicki M *et al*
Bhattacharya SS *see* Moore AT *et al*
Bialasiewicz AA *see* Förster W *et al*
Bird AC. Choroidal neovascularisation in age-related macular disease: *editorial*, **614**
see also Moore AT *et al*; Piguet B *et al*; Steinmetz RL *et al*
Blair NP *see* Ie D *et al*
Bloom PA *et al*. Clinical and infrared pupillometry in central retinal vein occlusion, **75**
Spontaneous development of retinal ischaemia and rubeosis in eyes with retinal racemose angioma: *case report*, **124**
see also Ferris JD *et al*
Bloom SM *et al*. Fractured laser fibreoptic cord: *correspondence*, **466**
Blumenthal M *see* Melamed S *et al*
Bog H *et al*. Results of community-based eyelid surgery for trichiasis due to trachoma, **81**
Bogner JR *see* Geier SA *et al*
Bolme P *see* Calissendorff BM and Bolme P
Bone M *see* O'Brien C *et al*
Bonshek R *see* Lloyd IC *et al*
Book reviews
Ajamian PC. Pre- and postoperative care of the cataract patient, 1993, **829**
Barker DJP, *editor*. Fetal and infant origins of adult disease, 1992, **129**
Byrne SF, Green RL. Ultrasound of the eye and orbit, 1992, **538**
Davidson SI, Jay B, *editors*. Recent advances in ophthalmology eight, 1992, **128**
Friedlaender MH. Allergy and immunology of the eye. 2nd ed. 1993, **830**
Hazlett LD. Corneal and ocular surface histochemistry, 1993, **539**
Heckenlively JR, Arden GB, *editors*. Principles and practice of clinical electrophysiology of vision, 1992, **394**
Hockwin O, Green K, Rubin LF, *editors*. Manual of oculotoxicity testing of drugs, 1992, **129**
Kanski JJ. Colour guide ophthalmology, 1992, **538**
Koetting RA. Marketing, managing and contact lenses, 1992, **194**
Larrabee W, Makielski KH. Surgical anatomy of the face, 1992, **829**
Leventhall R. A review of the literature on visual impairment and disability among older people in Britain: a case study in epidemiologically based needs assessment, 1992, **539**
Ostler HB. Diseases of the external eye and adnexa: a text and atlas, 1993, **682**
Podos SM, Yanoff M, *editors*. Textbook of ophthalmology. Vol 4. Orbit and oculoplastics, 1993, **830**
Watts MT, Nelson ME. External eye disease: a colour atlas, 1992, **258**
Wirtschafter JD, Berman EL, McDonald CS. Magnetic resonance imaging and computed tomography: clinical neuro-orbital anatomy, 1992, **829**
Yanoff M, Fine BS. Ocular pathology - a color atlas, 2nd ed. 1992, **258**
Bornfeld N *see* Kellner U *et al*
Borruat F-X *et al*. Simultaneous retinal and optic nerve lesions in toxoplasmosis: the advantages of magnetic resonance imaging: *case report*, **450**
Bouzas EA *et al*. Lens opacities in neurofibromatosis, 2: further significant correlations, **354**
Bowell R *see* Beigi B *et al*
Bradley BA *see* Vail A *et al*
Bragliani M *see* Puddu P *et al*
Brancato R *see* Menchini U *et al*
Brazier DJ. Glaucoma, ocular hypertension, cataract, and glucose intolerance: *correspondence*, **464**
Brazier DJ *et al*. Intracavernous chondrosarcoma associated with Ollier's disease, **599**
see also Forbes JE *et al*
Breeveld J *et al*. Uveitis and Lyme borreliosis, **480**
Broadway D *et al*. Adverse effects of topical antiglaucomatous medications on the conjunctiva: *perspective*, **590**
Broersma L *see* La Hey E *et al*
Brooks DE *see* Dawson WW *et al*
Brown M *see* O'Brien C *et al*
Buckley RJ *see* Kerr-Muir MG *et al*
Bundey S *see* Fullwood P *et al*
Burdon MA *see* Cheng H *et al*
Burger A *see* Safran AB *et al*
Burns JM *see* Lawrenson JG *et al*
Busse H *see* Förster W *et al*
Butler L *see* Fink CG and Butler L
Byrne SF *see* Finger PT *et al*

Caldwell KC *see* Al-Rajhi AA *et al*
Calissendorff BM, Bolme P. Cataract development and outcome of surgery in bone marrow transplanted children, **36**
Camesasca FI *see* Menchini U *et al*
Canning CR *see* Webster AR *et al*
Caramazza R *see* Puddu P *et al*
Carreras B *see* Carreras I *et al*
Carreras I *et al*. Activated T cells in an animal model of allergic conjunctivitis, **509**
Cartwright MJ *et al*. *Sporothrix schenckii* endophthalmitis presenting as granulomatous uveitis: *case report*, **61**
Caruso RC *see* Lasa MSM *et al*
Caspers-Velu LE *see* Cordonnier M *et al*
Casteels I *et al*. Early treatment of juvenile xanthogranuloma of the iris with subconjunctival steroids: *case report*, **57**
Castro-Correia J *see* Silva-Araújo A *et al*

VOLUME 77: AUTHOR INDEX

Abe H *see* Usui T *et al*
Abernethy C *see* Devonshire P *et al*
Acheson JF *et al*. Churg-Strauss vasculitis presenting with severe visual loss due to bilateral sequential optic neuropathy: *case report*, **118**
see also Heath JD *et al*
Ahmed S, Young JDH. Late onset esotropia in monozygous twins: *case report*, **189**
Akiba J *et al*. Anomalous Cloquet's canal in a case of optic nervehead coloboma associated with extensive retinal detachment: *case report*, **381**
Akingbehin AO. Granulomatous uveitis and metipranolol: *correspondence*, **536**
Al-Hazzaa SAF *et al*. Subcutaneous neuroglial choristoma: an immunohistopathological case study: *case report*, **817**
Al-Hedaithy SSA *see* Al-Rajhi AA *et al*
Al-Rajhi AA *et al*. *Scytalidium dimidiatum* fungal endophthalmitis: *case report*, **388**
Al-Tuwarqui W *see* Gupta VK and Al-Tuwarqui W
Al-Umran K, Pandolfi M. Corneal diameter in premature infants: *correspondence*, **128**
Ali-Melkkilä *et al*. Regional anaesthesia for cataract surgery: comparison of three techniques, **771**
Allan BDS *et al*. Pterygium excision with conjunctival autografting: an effective and safe technique, **698**
Amoaku WMK *see* Archer DB *et al*
Aouizerate F *et al*. Detection of *Toxoplasma gondii* in aqueous humour by the polymerase chain reaction, **107**
Apfelstedt-Sylla E *et al*. Ocular findings in a family with autosomal dominant retinitis pigmentosa and a frameshift mutation altering the carboxyl terminal sequence of rhodopsin, **495**
Apkarian P *see* Suttorp-Schulten MSA *et al*
Araki S *et al*. Familial clustering of human T lymphotropic virus type 1 uveitis: *case report*, **747**
Archer DB *et al*. Choroidoretinal neovascularisation following radon seed treatment of retinoblastoma in two patients, **95**
see also Chakravarthy U *et al*
Arden GB *see* Moore AT *et al*
Arsura EL *see* Ismail Y *et al*
Atkinson PL *see* Ling C *et al*
Awad A *see* El-Asrar AMA *et al*
Awad AH *see* Al-Rajhi AA *et al*

Baak JPA *see* Coleman K *et al*
Baarsma GS *see* La Hey E and Baarsma GS
La Hey E *et al*
Badawi N *see* Beigi B *et al*
Baez KA *see* Shields CL *et al*
Bandello F *see* Menchini U *et al*
Barboni P *see* Puddu P *et al*
Barker NH *see* Pitts JF *et al*
Barnard NAS *see* Lawrenson JG *et al*
Barrett GD *see* Allan BDS *et al*
Barrie T. Ocular complications of diabetes after cataract extraction: *editorial*, **198**
Beaumont P, Kang K. Tono-Pen tonometry: *correspondence*, **754**
Beaumont PE *see* Gillies MC *et al*
Beck L *see* Reardon W *et al*
Begueret J *see* Aouizerate F *et al*
Beigi B *et al*. Ophthalmic findings in classical galactosaemia - prospective study, **162**
Belkin M *see* Melamed S *et al*
Benger R *see* McCluskey P *et al*
Bentley CR *see* Acheson JF *et al*
Berninger T *see* Geier SA *et al*
Berquet S *see* Grochowicki M *et al*
Bhattacharya SS *see* Moore AT *et al*
Bialasiewicz AA *see* Förster W *et al*
Bird AC. Choroidal neovascularisation in age-related macular disease: *editorial*, **614**
see also Moore AT *et al*; Piguet B *et al*; Steinmetz RL *et al*
Blair NP *see* Ie D *et al*
Bloom PA *et al*. Clinical and infrared pupillometry in central retinal vein occlusion, **75**
Spontaneous development of retinal ischaemia and rubeosis in eyes with retinal racemose angioma: *case report*, **124**
see also Ferris JD *et al*
Bloom SM *et al*. Fractured laser fibreoptic cord: *correspondence*, **466**
Blumenthal M *see* Melamed S *et al*
Bog H *et al*. Results of community-based eyelid surgery for trichiasis due to trachoma, **81**
Bogner JR *see* Geier SA *et al*
Bolme P *see* Calissendorff BM and Bolme P
Bone M *see* O'Brien C *et al*
Bonshek R *see* Lloyd IC *et al*
Book reviews
Ajamian PC. Pre- and postoperative care of the cataract patient, 1993, **829**
Barker DJP, *editor*. Fetal and infant origins of adult disease, 1992, **129**
Byrne SF, Green RL. Ultrasound of the eye and orbit, 1992, **538**
Davidson SI, Jay B, *editors*. Recent advances in ophthalmology eight, 1992, **128**
Friedlaender MH. Allergy and immunology of the eye. 2nd ed. 1993, **830**
Hazlett LD. Corneal and ocular surface histochemistry, 1993, **539**
Heckenlively JR, Arden GB, *editors*. Principles and practice of clinical electrophysiology of vision, 1992, **394**
Hockwin O, Green K, Rubin LF, *editors*. Manual of oculotoxicity testing of drugs, 1992, **129**
Kanski JJ. Colour guide ophthalmology, 1992, **538**
Koetting RA. Marketing, managing and contact lenses, 1992, **194**
Larrabee W, Makielski KH. Surgical anatomy of the face, 1992, **829**
Leventhall R. A review of the literature on visual impairment and disability among older people in Britain: a case study in epidemiologically based needs assessment, 1992, **539**
Ostler HB. Diseases of the external eye and adnexa: a text and atlas, 1993, **682**
Podos SM, Yanoff M, *editors*. Textbook of ophthalmology. Vol 4. Orbit and oculoplastics, 1993, **830**
Watts MT, Nelson ME. External eye disease: a colour atlas, 1992, **258**
Wirtschafter JD, Berman EL, McDonald CS. Magnetic resonance imaging and computed tomography: clinical neuro-orbital anatomy, 1992, **829**
Yanoff M, Fine BS. Ocular pathology - a color atlas, 2nd ed. 1992, **258**
Bornfeld N *see* Kellner U *et al*
Borruat F-X *et al*. Simultaneous retinal and optic nerve lesions in toxoplasmosis: the advantages of magnetic resonance imaging: *case report*, **450**
Bouzas EA *et al*. Lens opacities in neurofibromatosis, 2: further significant correlations, **354**
Bowell R *see* Beigi B *et al*
Bradley BA *see* Vail A *et al*
Bragliani M *see* Puddu P *et al*
Brancato R *see* Menchini U *et al*
Brazier DJ. Glaucoma, ocular hypertension, cataract, and glucose intolerance: *correspondence*, **464**
Brazier DJ *et al*. Intracavernous chondrosarcoma associated with Ollier's disease, **599**
see also Forbes JE *et al*
Breeveld J *et al*. Uveitis and Lyme borreliosis, **480**
Broadway D *et al*. Adverse effects of topical antiglaucomatous medications on the conjunctiva: *perspective*, **590**
Broersma L *see* La Hey E *et al*
Brooks DE *see* Dawson WW *et al*
Brown M *see* O'Brien C *et al*
Buckley RJ *see* Kerr-Muir MG *et al*
Bundey S *see* Fullwood P *et al*
Burdon MA *see* Cheng H *et al*
Burger A *see* Safran AB *et al*
Burns JM *see* Lawrenson JG *et al*
Busse H *see* Förster W *et al*
Butler L *see* Fink CG and Butler L
Byrne SF *see* Finger PT *et al*

Caldwell KC *see* Al-Rajhi AA *et al*
Calissendorff BM, Bolme P. Cataract development and outcome of surgery in bone marrow transplanted children, **36**
Camesasca FI *see* Menchini U *et al*
Canning CR *see* Webster AR *et al*
Caramazza R *see* Puddu P *et al*
Carreras B *see* Carreras I *et al*
Carreras I *et al*. Activated T cells in an animal model of allergic conjunctivitis, **509**
Cartwright MJ *et al*. *Sporothrix schenckii* endophthalmitis presenting as granulomatous uveitis: *case report*, **61**
Caruso RC *see* Lasa MSM *et al*
Caspers-Velu LE *see* Cordonnier M *et al*
Casteels I *et al*. Early treatment of juvenile xanthogranuloma of the iris with subconjunctival steroids: *case report*, **57**
Castro-Correia J *see* Silva-Araújo A *et al*

Cater J *see* Shields CL *et al*
Cazenave J *see* Aouizerate F *et al*
Cerullo A *see* Puddu P *et al*
Chakravarthy U *et al*. Treatment of age-related subfoveal neovascular membranes by teletherapy: a pilot study, **265**
Challoner T *see* Reinstein DZ *et al*
Chan C-H *see* Charteris DG *et al*
Charles SJ *et al*. Clinical features of affected males with X linked ocular albinism, **222**
Charlton RM *see* Reinstein DZ *et al*
Charteris DG *et al*. Orbital volume measurement in the management of pure blowout fractures of the orbital floor, **100**
Chee CKL, Flanagan DW. Visual field loss with capillary non-perfusion in preproliferative and early proliferative diabetic retinopathy, **726**
Chen Y-C *see* Tsai W-F *et al*
Cheng H *et al*. Dissociated eye movements in craniosynostosis: a hypothesis revived, **563**
Cheng YF *see* Dick AD *et al*
Cheyrou A *see* Aouizerate F *et al*
Chignell AH *see* Gartry DS *et al*
Chisholm IH. The prospects for new treatments in age-related macular degeneration: *editorial*, **757**
Treatment of age-related subfoveal neovascular membranes by teletherapy: *editorial*, **261**
see also Piguet B *et al*
Christoffersen T *see* Holtedahl K *et al*
Chylack LT *et al*. Loss of contrast sensitivity in diabetic patients with LOCS II classified cataracts, **7**
Clark BJ *see* Devonshire P *et al*
Cockerell OC *see* Acheson JF *et al*
Coffey M *et al*. Prevalence of glaucoma in the west of Ireland, **17**
Coleman K *et al*. Prognostic factors following enucleation of 111 uveal melanomas, **688**
Colley A *see* Lloyd IC *et al*
Collin JRO *see* O'Donnell BA and Collin JRO
Collins C *see* Ferris JD *et al*
Constable IJ *see* Allan BDS *et al*
Moriarty AP *et al*
Cooling RJ *see* Foss AJE *et al*
Cordonnier M *et al*. Bilateral optic neuropathy and white dot syndrome following a mycoplasmal infection: *case report*, **673**
Coroneo MT. Pterygium as an early indicator of ultraviolet insolation: a hypothesis: *perspective*, **734**
Costa VP *et al*. Effects of topical mitomycin C on primary trabeculectomies and combined procedures, **693**
Costagliola C *et al*. Effect of topical ketanserin administration on intraocular pressure, **344**
Coster DJ. An alternative approach to corneoscleral repair: *editorial*, **325**
Courtney P *see* Coffey M *et al*
Crawford GJ *see* Allan BDS *et al*
Moriarty AP *et al*
Crockard A *see* Brazier DJ *et al*
Cynader MS *see* Matsuo T and Cynader MS
Czypionka S *see* Cheng H *et al*

da Sa LCF *see* Good WV *et al*
Dabir ZM *see* Dugmore WN and Dabir ZM
Daily MJ *see* le D *et al*
Damato BE *et al*. Predictive factors of visual outcome after local resection of choroidal melanoma, **616**
see also Mutlukan E *et al*
Dart JKG. Disease and risks associated with contact lenses: *perspective*, **49**
Das T *et al*. *Aspergillus terreus* postoperative endophthalmitis: *case report*, **386**
Datiles MB *see* Lasa MSM *et al*
Dawson WW *et al*. Primary open angle glaucomas in the rhesus monkey, **302**
see also Ofri R *et al*
de Boer JH *et al*. In search of intraocular antibody production to parvo B19 virus and adenovirus in intermediate uveitis: *correspondence*, **829**
de Bruijn WC *see* van der Schaft TL *et al*
de Jong PTVM *see* van der Schaft TL *et al*
de Keizer RJW *see* de Boer JH *et al*
De Potter P *et al*. Clinical predictive factors for development of recurrence and metastasis in conjunctival melanoma: a review of 68 cases, **624**
see also Shields JA *et al*
De Potter PV *see* Shields CL *et al*
Dean-Hart C *see* Hoh HB *et al*
Demaerel P *see* Patel CK *et al*
Devenyi RG. Perfluorocarbon liquid as a surgical adjunct in the surgical repair of stage V retinopathy of prematurity: *correspondence*, **258**
Devonshire P *et al*. Microbial contamination of contact lens cases in the west of Scotland, **41**
see also Seal DV *et al*
Dick AD *et al*. Nasal administration of retinal antigens suppresses the inflammatory response in experimental allergic uveoretinitis. A preliminary report of intranasal induction of tolerance with retinal antigens, **171**
see also Kirkpatrick JNP *et al*
Dodd CL *see* Raymond GL *et al*
Dodenhoff R *see* Reinstein DZ *et al*
Domingo Z *see* Stewart CR *et al*
Dorward NL *see* Reinstein DZ *et al*
Drance SM *see* Rojanapongpun P *et al*
Dudgeon J *see* Fullwood P *et al*
Dugmore WN, Dabir ZM. Cowpox virus: *correspondence*, **394**
Duvall-Young J *see* O'Brien C *et al*
Dwyer AE *see* Kalsow CM *et al*

Eagle RC *see* Shields JA *et al*
Easty DL *see* Bloom PA *et al*
Fahy GT *et al*
Tarlton JF and Easty DL
Vail A *et al*
Easty DLE *see* Carreras I *et al*
Eckstein MB *et al*. Visual loss from central serous retinopathy in systemic lupus erythematosus: *case report*, **607**
Edgar DF *see* Lawrenson JG *et al*
Egerton M *see* Harding JJ *et al*
El-Asrar AMA *et al*. Retinal arterial macroaneurysm in a patient with congenital heart disease: *case report*, **606**
el Azazi M *see* Holmström G *et al*
El-Kasaby HT. Cautery for lower lid entropion: *correspondence*, **465**
Elder MJ. Congenital glaucoma in the West Bank and Gaza Strip, **413**
Eldridge R *see* Bouzas EA *et al*
Elkington AR *see* Webster AR *et al*
Ellison DW *see* Vivian AJ *et al*
Elston JS. Amaurosis fugax in young adults: *correspondence*, **464**
Engel HM *see* Dawson WW *et al*
Esser P *et al*. Macrophages in proliferative vitreoretinopathy and proliferative diabetic retinopathy: differentiation of subpopulations, **731**

Fahy GT *et al*. Antigen presentation of herpes simplex virus by corneal epithelium - an in vitro and in vivo study, **440**
Falcone PM, Lou PL. Resolution of an external layer macular hole associated with an optic nerve pit after laser photocoagulation: *case report*, **457**
Fantin A *et al*. Intracranial hypertension and papilloedema in chronic inflammatory demyelinating polyneuropathy: *case report*, **193**
Farrell M *see* Coleman K *et al*
Fenton M *see* Coleman K *et al*
Ferguson VMG, Kyle PM. Orbital plexiform neurofibroma: *case report*, **527**
Ferris JD *et al*. Quantification of melanin and iron content in uveal malignant melanomas and correlation with magnetic resonance imaging, **297**
Fielder AR *see* Fullwood P *et al*
Finger PT *et al*. Retrobulbar oedema after ophthalmic plaque radiotherapy: *case report*, **604**
Topical chemotherapy for conjunctival melanoma: *case report*, **751**
Fink CG, Butler L. A cranial nerve palsy associated with *Mycoplasma pneumoniae* infection: *case report*, **750**
FitzGerald DE *see* O'Farrell CM and FitzGerald DE
Fitzke F *see* Moore AT *et al*
Fitzke FW *see* Hitchings RA *et al*
Steinmetz RL *et al*
Flaharty P *see* Patel BC and Flaharty P
Flanagan DW. Diabetes, glaucoma, sex, and cataract: *editorial*, **1**
see also Chee CKL and Flanagan DW
Foerster MH *see* Kellner U *et al*
Kellner U and Foerster MH
Foli K *see* Ofri R *et al*
Fong DS, Raizman MB. Spontaneous hyphaema associated with anterior uveitis, **635**
Forbes JE *et al*. 5-Fluorouracil and ocular toxicity: *correspondence*, **465**
see also Foss AJE *et al*
Forrest S *see* Mackey D *et al*
Forrester JV *see* Dick AD *et al*
Kirkpatrick JNP *et al*
Fors T *see* Holtedahl K *et al*
Forster DJ *see* Tsai JC *et al*
Forster RK *see* Al-Rajhi AA *et al*
Förster W *et al*. Coxsackievirus B3-associated panuveitis: *case report*, **182**
Foss AJE *et al*. An intralenticular foreign body and a clear lens: *correspondence*, **828**
Retinal detachment following anterior chamber lens implantation for the correction of ultra-high myopia in phakic eyes, **212**
Foster A, Johnson G. Blindness in the developing world: *editorial*, **398**
see also Bog H *et al*; Whitworth JAG *et al*

Foulds IS *see* O'Donnell BF and Foulds IS
Foulds WS *see* Damato BE *et al*
Fox PD *et al*. Influence of α thalassaemia on the retinopathy of homozygous sickle cell disease, **89**
Frangione B *see* Kivelä T *et al*
Franks WA *see* Gartry DS *et al*
Freegard T *et al*. Therapeutic ptosis with botulinum toxin in epikeratoplasty: *case report*, **820**
Freidlin V *see* Bouzas EA *et al*
Friend J *see* Chylack LT *et al*
Fujii Y *see* Horiguchi M *et al*
Fujiki K *see* Hotta Y *et al*
Fujino T *see* Kawasaki T *et al*
Fullwood P *et al*. X linked exudative vitreoretinopathy: clinical features and genetic linkage analysis, **168**

Gal A *see* Apfelstedt-Sylla E *et al*
Galdini M *see* Menchini U *et al*
Gandham S *see* Costa VP *et al*
Garner A. Pathogenesis of acanthamoebic keratitis: hypothesis based on a histological analysis of 30 cases, **366**
Gartry DS *et al*. Pars plana vitrectomy for the treatment of rhegmatogenous retinal detachment uncomplicated by advanced proliferative vitreoretinopathy, **199**
see also O'Brart DPS *et al*; Tuft SJ *et al*
Garway-Heath D *see* Singh AD *et al*
Geier SA *et al*. Impairment of colour contrast sensitivity and neuroretinal dysfunction in patients with symptomatic HIV infection or AIDS, **716**
Impairment of tritan colour vision after initiation of treatment with zidovudine in patients with HIV disease or AIDS: *case report*, **315**
Geist RM *see* Fantin A *et al*
Gelatt KN *see* Ofri R *et al*
Geraint M *see* Lawrenson JG *et al*
Gerding H *see* Apfelstedt-Sylla E *et al*
Geyer O. Comparison between methods of tonometry: time for a change of approach: *correspondence reply*, **754**
Geyer O *et al*. Tono-Pen tonometry: *correspondence reply*, **754**
Ghanchi F. Fluorescein flushing of the forearm: *correspondence*, **681**
Ghiso J *see* Kivelä T *et al*
Gibbons DC *see* Pitts JF *et al*
Gibson JM *see* Singh J and Gibson JM
Gilbert CE *see* Whitworth JAG *et al*
Gillies MC *et al*. Treatment of choroidal neovascularisation in age-related macular degeneration with interferon alfa-2a and alfa-2b, **759**
Giuffrè G *et al*. Optociliary veins and central retinal vein occlusion, **774**
Givens KT *et al*. Congenital rubella syndrome: ophthalmic manifestations and associated systemic disorders, **358**
Glazer LC *et al*. Choroidal rupture and optic atrophy, **33**
Goble RR *et al*. Successful treatment of anisometropic amblyopia and strabismus following intravitreal silicone oil: *case report*, **321**
Goddard PR *see* Ferris JD *et al*
Goebel FD *see* Geier SA *et al*
Goggin M, O'Keefe M. Diode laser for retinopathy of prematurity - early outcome, **559**
Goggin M *et al*. Two cases of coloboma associated with unbalanced translocations: *case report*, **122**
Gogolitsyn Y *see* Bloom PA *et al*
Ménage MJ *et al*
Goldstein M *see* Sadeh AD *et al*
Good WV *et al*. Monocular visual outcome in untreated early onset esotropia, **492**
Gore SM *see* Vail A *et al*
Goto K *et al*. Recurrent episcleritis associated with adult T cell leukaemia: *case report*, **743**
Gottlieb MS *see* Glazer LC *et al*
Graham A *see* Reinstein DZ *et al*
Graham EM *see* Zaman AG *et al*
Grant JW *see* Charles SJ *et al*
Green JS *see* Charles SJ *et al*
Gregor ZJ *see* Pearson RV *et al*
Grey RHB *see* Bloom PA *et al*
Grierson I *see* Broadway D *et al*
Grindey S. Glaucoma screening: *correspondence*, **827**
Grisanti S *et al*. Origin of fibronectin in epiretinal membranes of proliferative vitreoretinopathy and proliferative diabetic retinopathy, **238**
Grochowicki M *et al*. Ophthalmic results in patients with macroprolactinomas treated with a new prolactin inhibitor CV 205-502, **785**
Gudgeon AC *see* Lawrenson JG *et al*
Guex-Crosier Y, Herbort CP. Presumed corneal intraepithelial neoplasia associated with contact lens wear and intense ultraviolet light exposure: *case report*, **191**
Gupta A *see* Louon A *et al*
Gupta VK, Al-Tuwarqui W. A rare case of orbital mucormycosis with gas gangrene panophthalmitis: *case report*, **824**
Guran T *see* Ogura Y *et al*

Haimovici R *see* Steinmetz RL *et al*
Haites N. Molecular genetics as a 'probe' in ophthalmology: *editorial*, **134**
Haltia M *see* Kivelä T *et al*
Hamilton AMP *see* Stevens JD and Hamilton AMP
Ulbig MW *et al*
Hammel G *see* Geier SA *et al*
Han DP *see* Glazer LC *et al*
Hansen LL *see* Janknecht P *et al*
Harding JJ *et al*. Diabetes, glaucoma, sex, and cataract: analysis of combined data from two case control studies, **2**; *correspondence*, **464**
Harding RS *see* Harding JJ *et al*
Harino S *see* Saito Y *et al*
Harley HG *see* Reardon W *et al*
Harper PS *see* Reardon W *et al*
Hart JCD *see* Ménage MJ *et al*
Hatano H *see* Goto K *et al*
Hay J *see* Seal DV *et al*
Hayakawa M *see* Hotta Y *et al*
Hayasaka S *et al*. Increased D-arabinitol/creatinine ratio in sera of patients with Behçet's disease during an active phase, **39**
Heath JD, Long G. Neurotrophic keratitis presenting in infancy with involvement of the motor component of the trigeminal nerve, **679**
Heath JD *et al*. Penetrating keratoplasty in severe ocular graft versus host disease: *case report*, **525**
Heckenlively JR. The evolving role of visual electrodiagnostics: *editorial*, **397**
Heimann K *see* Esser P *et al*
Grisanti S *et al*
Held M *see* Geier SA *et al*
Herbort CP *see* Guex-Crosier Y and Herbort CP
Hershenfeld SA, Sharpe JA. Monocular temporal hemianopia, **424**
Hertle RW *et al*. Ophthalmic features and visual prognosis in the Treacher-Collins syndrome, **642**
Hickey-Dwyer M, Wishart PK. Serious corneal complication of 5-fluorouracil: *case report*, **250**
Higgs DR *see* Fox PD *et al*
Hirsh A *see* Melamed S *et al*
Hirst LW. Differential diagnosis of iridocorneal endothelial syndrome and posterior polymorphous endothelial dystrophy: *correspondence*, **610**
Hiscott P. Macrophages in the pathobiology of epiretinal membranes: multifunctional cells for a multistage process: *editorial*, **686**
Hitchings R. Psychophysical testing in glaucoma: *editorial*, **471**
see also Broadway D *et al*
Hitchings RA. Editorial comment, **755**
Glaucoma screening: *editorial*, **326**
Primary surgery for primary open angle glaucoma - justified or not? *perspective*, **445**
Hitchings RA *et al*. Regression analysis of visual field progression in low tension glaucoma: *correspondence*, **194**
Hofman P *see* Imhof SM *et al*
Hoh HB *et al*. Iris cyst after traumatic implantation of an eyelash into the anterior chamber: *case report*, **741**
Holder G *see* Eckstein MB *et al*
Holmström G *et al*. A population based, prospective study of the development of ROP in prematurely born children in the Stockholm area of Sweden, **417**
Holtedahl K *et al*. Comparison between methods of tonometry: time for a change of approach: *correspondence*, **754**
Honda Y *see* Ogura Y and Honda Y
Hooper DC *see* Fahy GT *et al*
Hope GM *see* Dawson WW *et al*
Horiguchi M *et al*. Focal electroretinogram and visual field defect in multiple evanescent white dot syndrome: *case report*, **452**
Horn M *see* Apfelstedt-Sylla E *et al*
Hotta Y *et al*. An atypical Leber's hereditary optic neuropathy with the 11778 mutation: *case report*, **748**
Houston RF *see* Chakravarthy U *et al*
Howard GR *see* Snider RL *et al*
Hoyt CS. The Farnsworth-Munsell 100 hue test and optic neuritis: *editorial*, **65**
see also Good WV *et al*
Hughes DS *see* Rundle PA and Hughes DS
Hughes H *see* Goggin M *et al*
Humphries P. Hereditary retinopathies: insights into a complex genetic aetiology: *editorial*, **469**
Humphry RC *see* Tan AKK *et al*
Hungerford J. Factors influencing metastasis in retinoblastoma: *editorial*, **541**
Hungerford JL *see* Singh AD *et al*
Hunyor AB *see* Gillies MC *et al*

Ie D *et al*. Subretinal exudative deposits in central serous chorioretinopathy, **349**
Igarashi H *see* Akiba J *et al*

Ilstrup DM *see* Givens KT *et al*
Imhof SM *et al*. Quantification of lacrimal function after D-shaped field irradiation for retinoblastoma, **482**
Inaba G *see* Yamamoto JH *et al*
Inglehearn CF *see* Moore AT *et al*
Inomata H *see* Ishibashi T and Inomata H
Inoue M *see* Tetsumoto K *et al*
Ishibashi T, Inomata H. Ultrastructure of retinal vessels in diabetic patients, **574**
Ishiguro N *see* Goto K *et al*
Ishiko S *see* Yoshida A *et al*
Ismail Y *et al*. A rare cause of visual loss in AIDS patients: central retinal vein occlusion: *case report*, **600**
Iuliano G *see* Costagliola C *et al*
Iwaki H *see* Tetsumoto K *et al*
Iwata K *see* Usui T *et al*

Jacobson L *see* Holmström G *et al*
Jacquemin C *see* Cordonnier M *et al*
Janknecht P *et al*. Cystoid macular oedema after excimer laser photorefractive keratectomy: *correspondence*, **681**
Jay JL, Murdoch JR. The rate of visual field loss in untreated primary open angle glaucoma: *perspective*, **176**
see also Mutlukan E *et al*; Pitts JF *et al*
Jay M *see* Moore AT *et al*
Johnson G *see* Foster A and Johnson G
Johnson RN *see* Schatz H *et al*
Jonas JB *see* Kubota T *et al*
Jones J *see* Fullwood P *et al*
Jones T *see* Givens KT *et al*
Jubb C *see* Steinmetz RL *et al*

Kagame K *see* Schwab L and Kagame K
Kaiser-Kupfer MI *see* Bouzas EA *et al*
Kakehashi A *see* Akiba J *et al*
Kalsow CM *et al*. Pinealitis accompanying equine recurrent uveitis, **46**
Kanai A *see* Hotta Y *et al*
Kang K *see* Beaumont P and Kang K
Kapoor R *see* Borruat F-X *et al*
Karma A *et al*. Secondary retinitis pigmentosa and cerebral demyelination in Lyme borreliosis: *case report*, **120**
Katowitz JA *see* Hertle RW *et al*
Kawasaki T *et al*. Slow accommodation release with a cerebellar lesion: *case report*, **678**
Kearns M *see* Gillies MC *et al*
Keen TJ *see* Moore AT *et al*
Kellner U, Foerster MH. Cone dystrophies with negative photopic electroretinogram, **404**
Kellner U *et al*. Calcification-like echographic pattern in uveal melanomas treated with brachytherapy: *correspondence*, **827**
Kelly G *see* Archer DB *et al*
Kerr-Muir MG *et al*. Differential diagnosis of iridocorneal endothelial syndrome and posterior polymorphous endothelial dystrophy: *correspondence*, **610**
see also O'Brart DPS *et al*
Kessler MJ *see* Dawson WW *et al*
Khalfallah Y *see* Grochowicki M *et al*
Khu PM *see* Chylack LT *et al*
Kijlstra A *see* de Boer JH *et al*
La Hey E *et al*
Kilpatrick MW *see* Fullwood P *et al*
Kingston JE *see* Singh AD *et al*
Kinoshita S *see* Saito Y *et al*
Kirkness CM *see* Seal DV *et al*
Kirkpatrick JNP *et al*. Clinical experience with interferon alfa-2a for exudative age-related macular degeneration, **766**
Kivelä T *et al*. Immunohistochemical analysis of lattice corneal dystrophies types I and II, **799**
Kiyosawa M *see* Kawasaki T *et al*
Klaassen-Broekema N, van Bijsterveld OP. Limbal and corneal calcification in patients with chronic renal failure, **569**
Klauss V *see* Geier SA *et al*
Kohno T *see* Ohnishi Y *et al*
Kojima M *see* Yoshida A *et al*
Kokolakis SN *see* Ladas ID *et al*
Konstas AGP *see* Marshall GE *et al*
Koutsandrea Ch *see* Theodossiadis GP *et al*
Kriss A *see* Patel CK *et al*
Kronawitter U *see* Geier SA *et al*
Kubota T *et al*. Decreased choroidal thickness in eyes with secondary angle closure glaucoma. An aetiological factor for deep retinal changes in glaucoma? **430**
Direct clinico-histological correlation of parapapillary chorioretinal atrophy, **103**
Küchle M *see* Nguyen NX and Küchle M
Kuiper H *see* Breeveld J *et al*
Kunisch M *see* Apfelstedt-Sylla E *et al*
Kupersmith MJ *see* Vargas ME *et al*
Kyle PM *see* Ferguson VMG and Kyle PM

La Hey E, Baarsma GS. Contralateral active ocular toxoplasmosis in Fuchs' heterochromic cyclitis: *case report*, **455**
La Hey E *et al*. Does autoimmunity to S-antigen play a role in Fuchs' heterochromic cyclitis? **436**
Ladas ID *et al*. Prophylactic use of acetazolamide to prevent intraocular pressure elevation following Nd-YAG laser posterior capsulotomy, **136**
Laffi GL, Safran AB. Persistent visual changes following hashish consumption: *case report*, **601**
Laganowski HC *see* Kerr-Muir MG *et al*
Lagoutte F *see* Aouizerate F *et al*
Lähde YE *see* Karma A *et al*
Laidlaw A *see* Bloom PA *et al*
Lam BL *see* Lam S *et al*
Lam S *et al*. Iris crystals in chronic iridocyclitis: *case report*, **181**; *correspondence*, **466**
Landau K, Yasargil GM. Ocular fundus in neurofibromatosis type 2, **646**
Lanigan B *see* Beigi B *et al*
Lasa MSM *et al*. Glare sensitivity in early cataracts, **489**
Lavin MJ *see* Raymond GL *et al*
Lawrenson JG, Ruskell GL. Investigation of limbal touch sensitivity using a Cochet-Bonnet aesthesiometer, **339**
Lawrenson JG *et al*. A comparison of the efficacy and duration of action of topically applied proxymetacaine using a novel ophthalmic delivery system versus eye drops in healthy young volunteers, **713**
Lazar M *see* Geyer O *et al*
Loewenstein A and Lazar M
Sadeh AD *et al*
Leaver P. Expanding the role of vitrectomy in retinal reattachment surgery: *editorial*, **197**
Lee DA *see* Givens KT *et al*
Lee WR *see* Marshall GE *et al*
Leenderz JA *see* Bloom PA *et al*
Leib ML. Orbital masquerade: hyperthyroidism and cavernous haemangioma of the orbit: *case report*, **676**
Leino K *see* Ali-Melkkilä T *et al*
Leitch RJ *et al*. Ocular involvement in mycosis fungoides: *case report*, **126**
Lemos MM *see* Silva-Araújo A *et al*
Lennerstrand G *see* Holmström G *et al*
Lewallen S, Chirambo MC. Herpetic corneal ulcers in Malawi: *correspondence*, **827**
Lieberman RM *see* Orellana J and Lieberman RM
Lightman S. New entities in uveitis: *editorial*, **262**
Ling C *et al*. Bilateral retinal haemorrhages following epidural injection: *case report*, **316**
Lithander J *see* Louon A *et al*
Liu C, Redmond R. Choice in local anaesthesia: *editorial*, **758**
Liversidge J *see* Dick AD *et al*
Lloyd IC *et al*. Dominantly inherited unilateral retinal dysplasia: *case report*, **378**
Loewenstein A, Lazar M. Deep lamellar keratoplasty in the treatment of bullous keratopathy: *correspondence*, **538**
see also Geyer O *et al*; Sadeh AD *et al*
Lohmann CP *see* O'Brart DPS *et al*
Long G *see* Heath JD and Long G
Lou PL *see* Falcone PM and Lou PL
Louon A *et al*. Sedation with nasal ketamine and midazolam for cryotherapy in retinopathy of prematurity: *case report*, **529**
Love S *see* Singh AD *et al*
Luff AJ *see* Webster AR *et al*
Luyendijk L *see* Breeveld J *et al*
Lyons CJ *see* Good WV *et al*

Mabey DM *see* Whitworth JAG *et al*
McAllister I *see* Metcalf C *et al*
McAllister IL *see* Moriarty AP *et al*
McAllister J *see* Wheatcroft S *et al*
McCarthy D *see* Chylack LT *et al*
McCarthy S *see* McCluskey P *et al*
McCartney A. Intraocular metastasis: *editorial*, **133**
McCartney ACE. Spontaneous congenital epithelial iris cysts: *correspondence*, **63**
see also von Below H *et al*
McCluskey P *et al*. Monostotic fibrous dysplasia of the orbit: an unusual lacrimal fossa mass: *case report*, **54**
McClusky PJ *see* Gillies MC *et al*
McCormick SA *see* Finger PT *et al*
McDonald HR *see* Schatz H *et al*

McGill JI *see* Vivian AJ *et al*
McGrath L *see* Carreras I *et al*
McHugh DA *see* Ulbig MW *et al*
McKay D *see* Gillies MC *et al*
McKay PS *see* Sharkey JA and McKay PS
Mackey D *et al*. Finger prick blood testing in Leber hereditary optic neuropathy, **311**
Mackie I *see* Freegard T *et al*
McKinnon A *see* Dick AD *et al*
McLean I *see* Kivelä T *et al*
McLean IW *see* Al-Hassaa SAF *et al*
McLeod D *see* Pearson RV *et al*
Raymond GL *et al*
MacMillan JC *see* Reardon W *et al*
Magno BV *see* Lasa MSM *et al*
Mahar PS, Nwokora GE. Role of mitomycin C in pterygium surgery, **433**
Mahl CF *see* Bloom SM *et al*
Malone M *see* Casteels I *et al*
Mantovani V *see* Puddu P *et al*
Marshall GE *et al*. Collagens in ocular tissues: *perspective*, **515**
Marshall J *see* O'Brart DPS *et al*
Mastropasqua L *see* Costagliola C *et al*
Masuda K *see* Yamamoto JH *et al*
Matsuo T, Cynader MS. The EP_2 receptor is the predominant prostanoid receptor in the human ciliary muscle, **110**
Mauriello JA, Pokorny K. Use of split-thickness dermal grafts to repair corneal and scleral defects - a study of 10 patients, **327**
Mayron Y *see* Geyer O *et al*
Meek KM *see* Tuft SJ *et al*
Melamed S *et al*. Internal sclerostomy using laser ablation of dyed sclera in glaucoma patients: a pilot study, **139**
Mele EM *see* Metcalf C *et al*
Ménage MJ *et al*. The Farnsworth-Munsell 100 hue test in the first episode of demyelinating optic neuritis, **68**
see also Hoh HB *et al*
Menchini U *et al*. Cystoid macular oedema after extracapsular cataract extraction and intraocular lens implantation in diabetic patients without retinopathy, **208**
Menduke H *see* De Potter P *et al*
Mermoud A *et al*. Post-traumatic angle recession glaucoma: a risk factor for bleb failure after trabeculectomy, **631**
Metcalf C *et al*. Neurocytoma of the retina: *case report*, **382**
Miller NR. Pleomorphic adenoma of the lacrimal gland: *correspondence*, **464**
Milner MS *see* Finger PT *et al*
Minami M *see* Yamamoto JH *et al*
Miyake Y *see* Horiguchi M *et al*
Miyata N *see* Araki S *et al*
Mochizuki M *see* Araki S *et al*
Yamamoto JH *et al*
Molinotti C *see* Puddu P *et al*
Montagna P *see* Puddu P *et al*
Moore AT *et al*. Autosomal dominant retinitis pigmentosa with apparent incomplete penetrance: a clinical, electrophysiological, psychophysical, and molecular genetic study, **473**
see also Charles SJ *et al*
Mooy CM *see* van der Schaft TL *et al*
Morgan-Capner P *see* Simcock PR *et al*
Morgan D *see* Whitworth JAG *et al*
Morgan J *see* Foss AJE *et al*
Morgan MS *see* Tharmaseelan K and Morgan MS
Moriarty AP *et al*. Bilateral streptococcal corneoscleritis complicating ß irradiation induced scleral necrosis: *case report*, **251**
Morlet N, Young SH. Prevention of intraocular pressure rise following intravitreal injection, **572**
Morris DJ *see* Simcock PR *et al*
Morrison B *see* Rojanapongpun P *et al*
Morrison BJ *see* Rojanapongpun P *et al*
Moseley IF *see* Sathananthan N *et al*
Moshfeghi DM *see* Finger PT *et al*
Moster MR *see* Costa VP *et al*
Mourits MPh *see* Suttorp-Schulten MSA *et al*
Mullaney J *see* Coleman K *et al*
Munro FA *see* Devonshire P *et al*
Munton CGF *see* Ling C *et al*
Murdoch JR *see* Jay JL and Murdoch JR
Murray ADN *see* Mermoud A *et al*
Stewart CR *et al*
Murray PI. Iris crystals and uveitis: *correspondence*, **466**
Mutlukan E *et al*. Clinical evaluation of a multi-fixation campimeter for the detection of glaucomatous visual field loss, **332**
Myring J *see* Reardon W *et al*

Nakamura M *see* Horiguchi M *et al*
Nakamura Y *see* Saito Y *et al*
Nakao F *see* Ohnishi Y *et al*
Nakao K, Ohba N. Clinical features of HTLV-I associated uveitis, **274**
Nasioulas S *see* Mackey D *et al*
Naughten E *see* Beigi B *et al*
Naumann GOH, Rummelt V. Spontaneous congenital epithelial iris cysts: *correspondence*, **63**
see also Kubota T *et al*
Nemechek PM *see* Ismail Y *et al*
Neudorfer M *see* Geyer O *et al*
Neumann D *see* Melamed S *et al*
Newbury-Ecob R *see* Woodruff G *et al*
Nguyen NX, Küchle M. Aqueous flare and cells in eyes with retinal vein occlusion - correlation with retinal fluorescein angiographic findings, **280**
Nifong TP *see* Kalsow CM *et al*
Noble JL *see* Charteris DG *et al*
Simcock PR *et al*
Noda S *see* Hayasaka S *et al*
Noureddin BN *see* Hitchings RA *et al*
Nwokora GE *see* Mahar PS and Nwokora GE

Ober RR *see* Tsai JC *et al*
O'Brart DPS *et al*. Treatment of band keratopathy by excimer laser phototherapeutic keratectomy: surgical techniques and long term follow up, **702**
O'Brien C *et al*. Electrophysiology of type II mesangiocapillary glomerulonephritis with associated fundus abnormalities, **778**
O'Connor GR. Granulomatous uveitis and metipranolol: *correspondence*, **536**
O'Connor I *see* Reinstein DZ *et al*
Oden N. Regression analysis of visual field progression in low tension glaucoma: *correspondence*, **194**
O'Donnell BA, Collin JRO. Distichiasis: management with cryotherapy to the posterior lamella, **289**
O'Donnell BF, Foulds IS. Contact allergic dermatitis and contact urticaria due to topical ophthalmic preparations: *case report*, **740**
O'Farrell CM, FitzGerald DE. Prognostic value of carotid ultrasound lesion morphology in retinal ischaemia: result of a long term follow up, **781**
Ofri R *et al*. Chronic ocular hypertension alters local retinal responsiveness, **502**
Ogasawara H *see* Yoshida A *et al*
Ogawa K *see* Saito Y *et al*
Ogura Y, Honda Y. Evaluation of idiopathic epiretinal membranes by a scanning laser ophthalmoscope: *case report*, **534**
Ogura Y *et al*. Occlusion of retinal vessels using targeted delivery of a platelet aggregating agent, **233**
Ohara S *see* Ohnishi Y *et al*
Ohba N *see* Nakao K and Ohba N
Ohmi G *see* Saito Y *et al*
Ohnishi Y *et al*. Cancer-associated retinopathy with retinal phlebitis, **795**
Ohno S *see* Goto K *et al*
Ohta I *see* Akiba J *et al*
Okada K *see* Goto K *et al*
Okada M *see* Saito Y *et al*
O'Keefe M *see* Beigi B *et al*
Goggin M *et al*
Goggin M and O'Keefe M
Robinson R and O'Keefe M
Oliver GL *see* Shields JA *et al*
Olver J *see* Casteels I *et al*
Ono A *see* Araki S *et al*
Orellana J, Lieberman RM. Stage II macular hole surgery, **555**
Osterloh MD *see* Schatz H *et al*
Oyanagi K *see* Usui T *et al*
Özcan K *see* Soylu M *et al*

Padhye N *see* Chylack LT *et al*
Palmvang IB *see* Piguet B *et al*
Palumbo C *see* Giuffrè G *et al*
Pälve H *see* Ali-Melkkilä T *et al*
Pande M. Continuous curvilinear (circular) capsulorhexis and planned extracapsular cataract extraction - are they compatible? **152**
Pandolfi M *see* Al-Umran K and Pandolfi M
Papakostopoulos D *see* Bloom PA *et al*
Ménage MJ *et al*
Papakostopoulos S *see* Bloom PA *et al*
Ménage MJ *et al*
Parry DM *see* Bouzas EA *et al*
Parsons MA *see* Leitch RJ *et al*
Patel BC, Flaharty P. Cautery for lower lid entropion: *correspondence*, **465**
Patel CK *et al*. Congenital third nerve palsy associated with mid-trimester amniocentesis: *case report*, **530**
Patmore AL *see* O'Brart DPS *et al*

Paul J *see* Damato BE *et al*
Pavlopoulos GP *see* Ladas ID *et al*
Pearson RV *et al*. Removal of silicone oil following diabetic vitrectomy, **204**
Perry HD *see* Finger PT *et al*
Piguet B *et al*. Age-related Bruch's membrane change: a clinical study of the relative role of heredity and environment, **400**
Pirttilä TA *see* Karma A *et al*
Pitts JF *et al*. Manchineel keratoconjunctivitis, **284**
Plaha DS *see* Woodruff G *et al*
Plowman PN *see* Singh AD *et al*
Podgor MJ *see* Lasa MSM *et al*
Poinoosawmy D *see* Hitchings RA *et al*
Poirier L *see* Aouizerate F *et al*
Pokorny K *see* Mauriello JA and Pokorny K
Promersberger M *see* Cartwright MJ *et al*
Puddu P *et al*. Retinitis pigmentosa, ataxia, and mental retardation associated with mitochondrial DNA mutation in an Italian family, **84**

Quarrell O. Gillespie syndrome reported as bilateral congenital mydriasis: *correspondence*, **827**

Rabb MF *see* Ie D *et al*
Ragge NK. Clinical and genetic patterns of neurofibromatosis 1 and 2: *perspective*, **662**
Raitta CM *see* Karma A *et al*
Raizman MB *see* Fong DS and Raizman MB
Randazzo-Papa G *see* Giuffrè G *et al*
Rao NA *see* Tsai JC *et al*
Rawe IM *see* Tuft SJ *et al*
Raymond GL *et al*. Suture needle drainage of subretinal fluid, **428**
Reardon W *et al*. Cataract and myotonic dystrophy: the role of molecular diagnosis, **579**
Reddy CV *see* Fantin A *et al*
Reddy VG *see* Louon A *et al*
Redmond R *see* Liu C and Redmond R
Reeves B *see* Stayte M *et al*
Reidy A *see* Coffey M *et al*
Reinstein DZ *et al*. 'Correctable undetected visual acuity deficit' in patients aged 65 and over attending an accident and emergency department, **293**
Rennie I. Local resection of choroidal melanoma: *editorial*, **613**
Melanomas, metastases, and survival: *editorial*, **685**
Rennie IG *see* Leitch RJ *et al*
Rice A *see* Carreras I *et al*
Rinaldi M *see* Costagliola C *et al*
Ringberg U *see* Holtedahl K *et al*
Roberts-Harry J *see* Brazier DJ *et al*
Robinson R, O'Keefe M. Follow-up study on premature infants with and without retinopathy of prematurity, **91**
Rogers CA *see* Vail A *et al*
Rojanapongpun P *et al*. Ophthalmic artery flow velocity in glaucomatous and normal subjects, **25**
Reproducibility of transcranial Doppler ultrasound examinations of the ophthalmic artery flow velocity, **22**
Roman F. *History of ophthalmology*
After Helmholtz, **730**
Hermann von Helmholtz, **514**
On manual dexterity, **656**
On private practice, **409**
Ophthalmological quacks and mountebanks, **365**
The invention of spectacles, **568**
Thomas Wharton Jones, a nineteenth century ophthalmologist, **777**
Rose GE. Orbital meningiomas: surgery, radiotherapy, or hormones? *perspective*, **313**
see also Sathananthan N *et al*; von Below H and Rose GE; von Below H *et al*; Wright JE and Rose GE
Rosen E. Anaesthesia for ophthalmic surgery: *editorial*, **542**
Rosen PH *see* Foss AJE *et al*
Rosner B *see* Chylack LT *et al*
Rostron C. Deep lamellar keratoplasty in the treatment of bullous keratopathy: *correspondence*, **538**
see also Freegard T *et al*
Rothova A. Ocular involvement in toxoplasmosis: *perspective*, **371**: correction, **683**
see also Breeveld J *et al*; La Hey E *et al*
Rummelt V *see* Naumann GOH and Rummelt V
Rundle PA, Hughes DS. *Phthirus pubis* infestation of the eyelids: *case report*, **815**
Rundle SA *see* Reardon W *et al*
Ruskell GL *see* Lawrenson JG and Ruskell GL
Russell-Eggitt IM *see* Patel CK *et al*
Russo V *see* Costagliola C *et al*
Rüther K *see* Apfelstedt-Sylla E *et al*

Sadeh AD *et al*. Amaurosis fugax in young adults: *correspondence*, **464**
Sado K *see* Hotta Y *et al*
Safran AB *et al*. The trap of the displaced blind spot in automated perimetry: *case report*, **254**
see also Laffi GL and Saffran AB
Saito Y *et al*. Transient hyperopia with lens swelling at initial therapy in diabetes, **145**
Sakamoto T *see* Ohnishi Y *et al*
Salgado-Borges J *see* Silva-Araújo A *et al*
Salmon JF *see* Mermoud A *et al*
Stewart CR *et al*
Samuelson DA *see* Dawson WW *et al*
Sanders MD *see* Acheson JF *et al*
Borruat F-X *et al*
Zaman AG *et al*
Sarks JP *see* Gillies MC *et al*
Sarks SH *see* Gillies MC *et al*
Sassolas G *see* Grochowicki M *et al*
Sathananthan N *et al*. The frequency and clinical significance of bone involvement in outer canthus dermoid cysts, **789**
Sawaguchi S *see* Usui T *et al*
Schatz H *et al*. Development of retinal vascular leakage and cystoid macular oedema secondary to central serous chorioretinopathy: *case report*, **744**
Schiller SB *see* Bloom SM *et al*
Schmidt CM *see* Costa VP *et al*
Schulenburg WE. Gillespie syndrome reported as bilateral congenital mydriasis: *correspondence*, **827**
see also Heath JD *et al*
Schwab L, Kagame K. Blindness in Africa: Zimbabwe schools for the blind survey, **410**
Scibelli G *see* Costagliola C *et al*
Seal DV *et al*. *Acanthamoeba* and contact lens disinfection: should chlorine be discontinued? *correspondence*, **128**
Serjeant GR *see* Fox PD *et al*
Setogawa T *see* Hayasaka S *et al*
Sharkey JA, McKay PS. Ocular toxocariasis in a patient with repeatedly negative ELISA titre to *Toxocara canis*: *case report*, **253**
Sharma A, Votruba M. Thymoxamine in the treatment of traumatic mydriasis: *correspondence*, **681**
see also Wheatcroft S *et al*
Sharma S *see* Das T *et al*
Sharpe JA *see* Hershenfeld SA and Sharpe JA
Shaw DJ *see* Reardon W *et al*
Sherwood MB *see* Dawson WW *et al*
Shields CL *et al*. Choroidal invasion of retinoblastoma: metastatic potential and clinical risk factors, **544**
see also De Potter P *et al*; Shields JA *et al*
Shields JA *et al*. Necrotic orbital melanoma arising de novo: *case report*, **187**
see also De Potter P *et al*; Shields CL *et al*
Shinohara K *see* Hotta Y *et al*
Shirao M *see* Araki S *et al*
Short C *see* O'Brien C *et al*
Short P *see* Allan BDS *et al*
Shun-Shin GA, *see* Cheng H *et al*
Silva-Araújo A *et al*. Primary lipid keratopathy: a morphological and biochemical assessment: *case report*, **248**
Simcock PR *et al*. Cowpox virus: *correspondence*, **394**
Singh AD *et al*. Relationship of regression pattern to recurrence in retinoblastoma, **12**
Singh J, Gibson JM. A case of presumed congenital herpes zoster ophthalmicus: *case report*, **459**
Singh J, Swa K. Fractured laser fibreoptic cord: *correspondence*, **466**
Singh KN *see* Singh TS and Singh KN
Singh TS, Singh KN. Thelaziasis: report of two cases, **528**
Slem G *see* Soylu M *et al*
Smith AW *see* Kalsow CM *et al*
Smith M *see* Costa VP *et al*
Snider RL *et al*. Orbital multiple myeloma mimicking acquired angio-oedema: *case report*, **461**
Soares MI *see* Silva-Araújo A *et al*
Solomon A *see* Melamed S *et al*
Somers LA *see* Al-Hassaa SAF *et al*
Soriano JM *see* Janknecht P *et al*
Soylu M *et al*. Dirofilariasis: an uncommon parasitosis of the eye: *case report*, **602**
Spaide RF *see* Ie D *et al*
Spalton DJ. Measurement of flare: *editorial*, **263**
see also Eckstein MB *et al*
Spanjaard L *see* Breeveld J *et al*
Specht CS *see* Al-Hassaa SAF *et al*
Spittle M *see* Forbes JE *et al*
Stayte M *et al*. Ocular and vision defects in preschool children, **228**
Steel DHW. 'Dead man's finger' keratoconjunctivitis: *correspondence*, **63**
Steinmetz RL *et al*. Symptomatic abnormalities of dark adaptation in patients with age-related Bruch's membrane change, **549**

Stevens GA *see* Cartwright MJ *et al*
Stevens JD, Hamilton AMP. Displaced intraocular lens repositioning using a reversed 10-0 straight polypropylene needle lasso technique: *case report*, **390**
Stewart CR *et al*. Proptosis as a presenting sign of extradural haematoma: *case report*, **179**
Straker C *see* Mermoud A *et al*
Su C-Y *see* Tsai W-F *et al*
Sugita M *see* Goto K *et al*
Sunaric G *see* Safran AB *et al*
Suttorp-Schulten MSA *et al*. Contrast sensitivity function in Graves' ophthalmopathy and dysthyroid optic neuropathy, **709**
Swa K *see* Singh J and Swa K

Tabbara KF *see* El-Asrar AMA *et al*
Takahashi K *see* Ogura Y *et al*
Tan AKK, Humphry RC. The fixed dilated pupil after cataract surgery - is it related to intraocular use of hypromellose? **639**
Tan KEWP *see* Imhof SM *et al*
Tarkkanen A *see* Kivelä T *et al*
Tarlton JF, Easty DL. Applications of monoclonal antibodies in the investigation, diagnosis, and treatment of retinoblastoma: *perspective*, **805**
Tavares MA *see* Silva-Araújo A *et al*
Taylor D *see* Casteels I *et al*
Taylor DSI *see* Patel CK *et al*
Taylor HR. Trachoma - the future for a disease of the past: *editorial*, **66**
Tessler HH *see* Lam S *et al*
Tetsumoto K *et al*. IgG-κ extramedullary plasmacytoma of the conjunctiva and orbit: *case report*, **255**
Tharmaseelan K, Morgan MS. *Pasteurella multocida* conjunctivitis: *case report*, **815**
Theodossiadis GP *et al*. Optic nerve pit with serous macular detachment resulting in rhegmatogenous retinal detachment: *case report*, **385**
see also Ladas ID *et al*
Theodossiadis PG *see* Theodossiadis GP *et al*
Thiers BH *see* Snider RL *et al*
Thompson JR. The χ^2 test for data collected on eyes: *perspective*, **115**
Tijssen R *see* Suttorp-Schulten MSA *et al*
Tokoro T *see* Kawasaki T *et al*
Tombroff M *see* Cordonnier M *et al*
Touquet R *see* Reinstein DZ *et al*
Trevor-Roper P. T A Casey: *obituary*, **467**
Tsai JC *et al*. Panuveitis and multifocal retinitis in a patient with leucocytoclastic vasculitis: *case report*, **318**
Tsai W-F *et al*. Treatment of vitreous floaters with neodymium YAG laser, **485**
Tuft SJ *et al*. Photorefractive keratectomy: implications of corneal wound healing: *perspective*, **243**
Tullo AB *see* Lloyd IC *et al*
Simcock PR *et al*

Ulbig MW *et al*. Photocoagulation of choroidal neovascular membranes with a diode laser, **218**
Usui T *et al*. Conjunctival biopsy in adult form galactosialidosis, **165**

Vail A *et al*. Corneal transplantation in the United Kingdom and Republic of Ireland, **650**
van Bijsterveld OP *see* Klaassen-Broedema N and van Bijsterveld OP
van der Gaag R *see* La Hey E *et al*
van der Schaft TL *et al*. Early stages of age-related macular degeneration: an immunofluorescence and electron microscopy study, **657**
Van Diest P *see* Coleman K *et al*
van Hecke H *see* Lam S *et al*
van Heyningen R *see* Harding JJ *et al*
Van Nechel C *see* Cordonnier M *et al*
Vargas ME *et al*. Exotropia as a sign of myasthenia gravis in dysthyroid ophthalmopathy: *case report*, **822**
Varinli S *see* Soylu M *et al*
Verin Ph *see* Aouizerate F *et al*
Vighetto A *see* Grochowicki M *et al*
Viljanen MK *see* Karma A *et al*
Virkkilä M *see* Ali-Melkkilä T *et al*
Vivian AJ *et al*. Ocular melanomas in xeroderma pigmentosum: *case report*, **597**
von Below H, Rose GE. Adult nasolacrimal duct bypass tubes: where do they go? *case report*, **449**
von Below H *et al*. Multicentric sebaceous gland carcinoma of the lid? *case report*, **819**
Votruba M *see* Sharma A and Votruba M
Vyas P *see* Das T *et al*

Warren FA *see* Vargas ME *et al*
Watanabe T *see* Araki S *et al*
Weale R. Corneal diameter in premature infants: *correspondence*, **128**
Is the season of birth a risk factor in glaucoma? **214**
Webster AR *et al*. The effect of pilocarpine on the glaucomatous visual field, **721**
Wehner C *see* Chylack LT *et al*
Weiss L. Analysis of the incidence of intraocular metastasis, **149**
Wells JA *see* Piguet B *et al*
Wheatcroft S *et al*. Reduction in mydriatic drop size in premature infants, **364**
Whitehouse RW *see* Charteris DG *et al*
Whitworth JAG *et al*. Visual loss in an onchocerciasis endemic community in Sierra Leone, **30**
Wiedemann P *see* Esser P *et al*
Grisanti S *et al*
Wilson RP *see* Costa VP *et al*
Winchester K *see* Lam S *et al*
Wingate R *see* McCluskey P *et al*
Wishart PK *see* Hickey-Dwyer M and Wishart PK
Wolfe J *see* Chylack LT *et al*
Wong D *see* Gartry DS *et al*
Woodruff G *et al*. Manifesting heterozygosity in Norrie's disease? *case report*, **813**
Wormald R *see* Coffey M *et al*
Piguet B *et al*
Wormald RPL *see* Reinstein DZ *et al*
Wortham C *see* Stayte M *et al*
Wright JE, Rose GE. Pleomorphic adenoma of the lacrimal gland: *correspondence*, **464**
see also Sathananthan N *et al*; von Below H *et al*
Wright L *see* Coffey M *et al*

Xian WX *see* Coffey M *et al*

Yalaz M *see* Soylu M *et al*
Yamaguchi K *see* Araki S *et al*
Yamamoto JH *et al*. Cellular autoimmunity to retinal specific antigens in patients with Behçet's disease, **584**
Yanashima K *see* Hotta Y *et al*
Yannuzzi LA *see* Ie D *et al*
Yasargil GM *see* Landau K and Yasargil GM
Yates JRW *see* Charles SJ *et al*
Yeatman M *see* Reinstein DZ *et al*
Yorston D *see* Bog H *et al*
Yoshida A *et al*. Permeability of the blood-ocular barrier in adolescent and adult diabetic patients, **158**
see also Akiba J *et al*
Yoshiki T *see* Goto K *et al*
Yoshimura K *see* Araki S *et al*
Young ID *see* Woodruff G *et al*
Young JDH *see* Ahmed S and Young JDH
Young SH *see* Morlet N and Young SH

Zaman AG *et al*. Anterior visual system involvement in non-Hodgkin's lymphoma: *case report*, **184**
Zeimer R *see* Ogura Y *et al*
Ziylan S *see* Hertle RW *et al*
Zrenner E *see* Apfelstedt-Sylla E *et al*

VOLUME 77: SUBJECT INDEX

Acanthamoeba and contact lens disinfection, use of chlorine: *correspondence*, **128**
Acanthamoebic keratitis, pathogenesis, hypothesis based on histological analysis of 30 cases, **366**
Accidents, and correctable undetected visual acuity deficit, **293**
Accommodation release, slow, with cerebellar lesion: *case report*, **678**
Acetazolamide to prevent intraocular pressure following Nd-YAG laser posterior capsulotomy, **136**
Adenovirus, and parvo B 19 virus, in intermediate uveitis, in search of intraocular antibody production: *correspondence*, **829**
Age-related Bruch's membrane change, *see* Bruch's membrane, age-related change
Age-related macular degeneration, *see* Macular degeneration, age-related
Age-related subfoveal neovascular membranes, treatment by teletherapy: *editorial*, **261**, **265**
AIDS
central retinal vein occlusion causing visual loss: *case report*, **600**
impairment of tritan colour vision after initiation of zidovudine treatment: *case report*, **315**
neuroretinal dysfunction and impairment of colour contrast sensitivity, **716**
Albinism, X linked ocular, clinical features of affected males, **222**
Allergic conjunctivitis, activated T cells, animal model, **509**
Amaurosis fugax in young adults: *correspondence*, **464**
Amniocentesis, mid-trimester, and congenital third nerve palsy: *case report*, **530**
Anaesthesia, for ophthalmic surgery: *editorial*, **542**
Angio-oedema, acquired, orbital multiple myeloma mimicking: *case report*, **461**
Anisometropic amblyopia and strabismus following intravitreal silicone oil, successful treatment: *case report*, **321**
Anterior chamber lens implantation, for correction of ultra-high myopia in phakic eyes, retinal detachment following, **212**
Anterior visual system involvement in non-Hodgkin's lymphoma: *case report*, **184**
Antigen presentation of herpes simplex virus by corneal epithelium, **440**
Antiglaucomatous medications, topical, adverse effects on conjunctiva: *perspective*, **590**
Aqueous humour, detection of *Toxoplasma gondii* by polymerase chain reaction, **107**
D-Arabinitol/creatinine ratio, increased, in sera of patients with Behçet's disease during an active phase, **39**
Aspergillus terreus postoperative endophthalmitis: *case report*, **386**

Band keratopathy, treatment by excimer laser phototherapeutic keratectomy, surgical techniques and long term follow up, **702**
Behçet's disease
cellular autoimmunity to retinal specific antigens, **584**
during active phase, increased D-arabinitol/creatinine ratio in sera, **39**
ß blockers, causing contact allergic dermatitis and contact urticaria: *case report*, **740**
ß irradiation induced scleral necrosis, bilateral streptococcal corneoscleritis complicating: *case report*, **251**
Birth season as risk factor in glaucoma, **214**
Bleb failure after trabeculectomy, post-traumatic angle recession glaucoma as risk factor, **631**
Blind spot, displaced, in automated perimetry: *case report*, **254**
Blindness
in Africa, Zimbabwe schools for the blind survey, **410**
in the developing world: *editorial*, **398**
Blood-ocular barrier, permeability, in diabetes, adolescent and adult, **158**
Blowout fractures, pure, of the orbital floor, orbital volume measurement in management, **100**
Bone involvement in outer canthus dermoid cysts, frequency and clinical significance, **789**
Bone marrow transplanted children, cataract development and outcome of surgery, **36**
Botulinum toxin induced therapeutic ptosis in epikeratoplasty: *case report*, **820**
Brachytherapy, for uveal melanomas, calcification-like echographic pattern: *correspondence*, **827**
Bruch's membrane, age-related change
clinical study of relative role of heredity and environment, **400**
dark adaptation, symptomatic abnormalities, **549**
and macular disease: *editorial*, 614, 657
Bullous keratopathy, deep lamellar keratoplasty: *correspondence*, **538**

Calcification
-like echographic pattern, in uveal melanomas treated with brachytherapy: *correspondence*, **827**
limbal and corneal, in chronic renal failure, **569**
Campimeter, multi-fixation, for detection of glaucomatous visual field loss, clinical evaluation, **332**
Cancer-associated retinopathy with retinal phlebitis, **795**
Carotid ultrasound lesion morphology in retinal ischaemia, prognostic value, long term follow up, **781**
Cataract
development and outcome of surgery, bone marrow transplanted children, **36**
diabetes, glaucoma, and sex: *editorial*, **1**
analysis of combined data from two case control studies, **2**; *correspondence*, **464**
early, glare sensitivity, **489**
extraction
extracapsular, and intraocular lens implantation, in diabetic patients without retinopathy, cystoid macular oedema after, **208**
ocular complications of diabetes after: *editorial*, **198**
LOCS II classified, loss of contrast sensitivity in diabetic patients, **7**
and myotonic dystrophy, role of molecular diagnosis, **579**
surgery
fixed dilated pupil after, is it related to intraocular use of hypromellose? **639**
regional anaesthesia, three techniques compared, **771**
Cautery for lower lid entropion: *correspondence*, **465**
Cavernous haemangioma of the orbit, and hyperthyroidism: *case report*, **676**
Central retinal vein occlusion
clinical and infrared pupillometry, **75**
optociliary veins, **774**
rare cause of visual loss in AIDS patients: *case report*, **600**
Central serous chorioretinopathy, and development of retinal vascular leakage and cystoid macular oedema: *case report*, **744**
Central serous retinopathy, visual loss, in SLE: *case report*, **607**
Cerebellar lesion, and slow accommodation release: *case report*, **678**
Chlorine, use in contact lens disinfection, and *Acanthamoeba*: *correspondence*, **128**
Chondrosarcoma, intracavernous, associated with Ollier's disease: *case report*, **599**
Chorioretinopathy, central serous
and development of retinal vascular leakage and cystoid macular oedema: *case report*, **744**
subretinal exudative deposits, **349**
Choristoma, neuroglial, subcutaneous, immunohistopathological case study: *case report*, **817**
Choroidal invasion of retinoblastoma, metastatic potential and clinical risk factors, **544**
Choroidal melanoma
local resection: *editorial*, **613**
visual outcome after local resection, predictive factors, **616**
Choroidal neovascular membranes, photocoagulation with diode laser, **218**
Choroidal neovascularisation
in age-related macular degeneration: *editorial*, **757**
treatment with interferon alfa-2a and alfa-2b, **759**
in age-related macular disease: *editorial*, **614**
Choroidal rupture, and optic atrophy, association between, **33**
Choroidal thickness, decreased, in eyes with secondary angle closure glaucoma, **430**
Choroidoretinal neovascularisation following radon seed treatment of retinoblastoma, **95**
Chronic inflammatory demyelinating polyneuropathy, and intracranial hypertension and papilloedema: *case report*, **193**
Chronic renal failure, limbal and corneal calcification, **569**
Churg-Strauss vasculitis, presenting with severe visual loss due to bilateral sequential optic neuropathy: *case report*, **118**
Cloquet's canal, anomalous, in optic nervehead coloboma associated with extensive retinal detachment: *case report*, **381**
Cochet-Bonnet aesthesiometer, in investigation of limbal touch sensitivity, **339**
Collagens in ocular tissues: *perspective*, **515**
Coloboma
associated with unbalanced translocations, two cases: *case report*, **122**
optic nervehead, associated with extensive retinal detachment, and anomalous Cloquet's canal: *case report*, **381**
Colour contrast sensitivity, impairment, and neuroretinal dysfunction, in HIV infection or AIDS, **716**

Community-based eyelid surgery, for trichiasis due to trachoma, results, 81
Cone dystrophies with negative photopic electroretinogram, 404
Congenital heart disease, and retinal arterial macroaneurysm: *case report*, 606
Congenital rubella syndrome, ophthalmic manifestations and associated systemic disorders, 358
Conjunctiva, adverse effects of topical antiglaucomatous medications: *perspective*, 590
Conjunctival biopsy in adult form galactosialidosis, 165
Conjunctival melanoma
clinical predictive factors for development of recurrence and metastasis, review of 68 cases, 624
topical chemotherapy: *case report*, 751
Conjunctivitis
allergic, activated T cells, animal model, 509
Pasteurella multocida: *case report*, 815
Contact allergic dermatitis, and contact urticaria, due to topical ophthalmic preparations: *case report*, 740
Contact lens(es)
cases, microbial contamination, west of Scotland, 41
disease and risks associated with: *perspective*, 49
disinfection, and *Acanthamoeba*, use of chlorine: *correspondence*, 128
wear, and intense ultraviolet light exposure, association with presumed corneal intraepithelial neoplasia: *case report*, 191
Continuous curvilinear (circular) capsulorhexis and planned extracapsular cataract extraction, are they compatible? 152
Contrast sensitivity
function in Graves' ophthalmopathy and dysthyroid optic neuropathy, 709
loss in diabetic patients with LOCS II classified cataracts, 7
Cornea, corneal
complication, serious, of 5-fluorouracil: *case report*, 250
diameter, in premature infants: *correspondence*, 128
epithelium, antigen presentation of herpes simplex virus, 440
intraepithelial neoplasia, presumed, associated with contact lens wear and intense ultraviolet light exposure: *case report*, 191, 440
and scleral defects, split-thickness dermal grafts for repair, 10 patients, 327
transplantation, United Kingdom and Republic of Ireland, 650
ulcers, herpetic, in Malawi: *correspondence*, 827
wound healing, after photorefractive keratectomy: *perspective*, 243
Corneoscleral repair, alternative approach: *editorial*, 325
'Correctable undetected visual acuity deficit', in patients aged 65 and over attending an accident and emergency department, 293
Cowpox virus: *correspondence*, 394
Coxsackievirus B3-associated panuveitis: *case report*, 182
Cranial nerve palsy, associated with *Mycoplasma pneumoniae* infection: *case report*, 750
Craniosynostosis, dissociated eye movements, hypothesis revived, 563
Cryotherapy
in distichiasis, 289
in retinopathy of prematurity, sedation with nasal ketamine and midazolam: *case report*, 529
CV 205-502, new prolactin inhibitor, for macroprolactinomas, ophthalmic results, 785
Cystoid macular oedema
after excimer laser photorefractive keratectomy: *correspondence*, 681
after extracapsular cataract extraction and intraocular lens implantation in diabetic patients without retinopathy, 208
and retinal vascular leakage, secondary to central serous chorioretinopathy: *case report*, 744

D-shaped field irradiation for retinoblastoma, lacrimal function after, quantification, 482
Dark adaptation in age-related Bruch's membrane change, symptomatic abnormalities, 549
'Dead man's finger' keratoconjunctivitis: *correspondence*, 63
Demyelinating optic neuritis *see* Optic neuritis
Dermatitis, contact allergic, and contact urticaria, due to topical ophthalmic preparations: *case report*, 740
Dermoid cysts, outer canthus, bone involvement, frequency and clinical significance, 789
Diabetes
glaucoma, sex, and cataract: *editorial*, 1
analysis of combined data from two case control studies, 2; *correspondence*, 464
with LOCS II classified cataracts, loss of contrast sensitivity, 7
ocular complications after cataract extraction: *editorial*, 198
transient hyperopia with lens swelling at initial therapy, 145
ultrastructure of retinal vessels, 574
Diabetic patients without retinopathy, cystoid macular oedema after extracapsular cataract extraction and intraocular lens implantation, 208
Diabetic retinopathy
preproliferative and early proliferative, visual field loss with capillary non-perfusion, 726
proliferative, and proliferative vitreoretinopathy, macrophages, differentiation of subpopulations, 731
Diabetic vitrectomy, silicone oil removal following, 204
Diode laser
for photocoagulation of choroidal neovascular membranes, 218
for retinopathy of prematurity, early outcome, 559
Dirofilariasis, uncommon parasitosis of the eye: *case report*, 602
Displaced intraocular lens repositioning using reversed 10-0 straight polypropylene needle lasso technique: *case report*, 390
Distichiasis, management with cryotherapy to the posterior lamella, 289
Dominantly inherited unilateral retinal dysplasia: *case report*, 378
Drug misuse, persistent visual changes following hashish consumption: *case report*, 601
Dysthyroid ophthalmopathy, exotropia as sign of myasthenia gravis: *case report*, 822
Dysthyroid optic neuropathy, and Graves' ophthalmopathy, contrast sensitivity function, 709

Electrodiagnostics, visual, evolving role: *editorial*, 397
Electroretinogram, negative photopic, and cone dystrophies, 404
Endophthalmitis
Aspergillus terreus, postoperative: *case report*, 386
fungal, *Scytalidium dimidiatum*: *case report*, 388
Sporothrix schenckii, presenting as granulomatous uveitis: *case report*, 61
Entropion, lower lid, cautery: *correspondence*, 465
EP_2 receptor is predominant prostanoid receptor in ciliary muscle, 110
Epidural injection, bilateral retinal haemorrhages following: *case report*, 316
Epikeratoplasty, therapeutic ptosis with botulinum toxin: *case report*, 820
Epiretinal membranes
idiopathic, evaluation by scanning laser ophthalmoscope: *case report*, 534
macrophages in pathobiology, multifunctional cells for a multistage process: *editorial*, 686
Episcleritis, recurrent, associated with adult T cell leukaemia: *case report*, 743
Equine recurrent uveitis, and pinealitis, 46
Esotropia
early onset, untreated, monocular visual outcome, 492
late onset, in monozygous twins: *case report*, 189
Excimer laser photorefractive keratectomy, cystoid macular oedema after: *correspondence*, 681
Excimer laser phototherapeutic keratectomy, for band keratopathy, surgical techniques and long term follow up, 702
Exotropia, as sign of myasthenia gravis in dysthyroid ophthalmopathy: *case report*, 822
Experimental allergic uveoretinitis, nasal administration of retinal antigens suppresses inflammatory response, 171
External layer macular hole, associated with optic nerve pit, resolution after laser photocoagulation: *case report*, 457
Extracapsular cataract extraction, planned, and continuous curvilinear (circular) capsulorhexis, are they compatible? 152
Extradural haematoma, proptosis as presenting sign: *case report*, 179
Eye movements, dissociated, in craniosynostosis, hypothesis revived, 563
Eyelash, traumatic implantation into anterior chamber, iris cyst after: *case report*, 741
Eyelid
multicentric sebaceous gland carcinoma: *case report*, 819
Phthirus pubis infestation: *case report*, 815

Familial clustering of human T lymphotropic virus type 1 uveitis: *case report*, 747
Farnsworth-Munsell 100 hue test
in first episode of demyelinating optic neuritis, 68
and optic neuritis: *editorial*, 65
Fibronectin, origin in epiretinal membranes of proliferative vitreoretinopathy and proliferative diabetic retinopathy, 238
Finger prick blood testing, in Leber hereditary optic neuropathy, 311
Flare
aqueous, in retinal vein occlusion, correlation with retinal fluorescein angiographic findings, 280
measurement: *editorial*, 263
Fluorescein flushing of the forearm: *correspondence*, 681
5-Fluorouracil
and ocular toxicity: *correspondence*, 465
serious corneal complication: *case report*, 250
Focal electroretinogram and visual field defect in multiple evanescent white dot syndrome: *case report*, 452
Forearm, fluorescein flushing: *correspondence*, 681

Foreign body, intralenticular, and a clear lens: *correspondence*, **828**
Fuchs' heterochromic cyclitis
and contralateral active ocular toxoplasmosis: *case report*, **455**
does autoimmunity to S-antigen play a role? **436**
Fundus abnormalities associated with type II mesangiocapillary glomerulonephritis, electrophysiology, **778**

Galactosaemia, classical, ophthalmic findings, prospective study, **162**
Galactosialidosis, adult form, conjunctival biopsy, **165**
Gas gangrene panophthalmitis, and orbital mucormycosis: *case report*, **824**
Gillespie syndrome, reported as bilateral congenital mydriasis: *correspondence*, **827**
Glare sensitivity in early cataracts, **489**
Glaucoma
birth season as risk factor, **214**
congenital, West Bank and Gaza Strip, **413**
diabetes, sex, and cataract: *editorial*, **1**
analysis of combined data from two case control studies, **2**; *correspondence*, **464**
internal sclerostomy using laser ablation of dyed sclera, **139**
low tension, visual field progression, regression analysis: *correspondence*, **194**
open angle, primary, untreated, rate of visual field loss, **176**
ophthalmic artery flow velocity, and in normal subjects, **25**
post-traumatic angle recession, risk factor for bleb failure after trabeculectomy, **631**
prevalence, west of Ireland, **17**
primary open angle
primary surgery, justified or not? **445**
in rhesus monkey, **302**
psychophysical testing: *editorial*, **471**
reproducibility of transcranial Doppler ultrasound examinations of ophthalmic artery flow velocity, **22**
screening: *editorial*, **326**: *correspondence*, **827**
secondary angle closure, decreased choroidal thickness, **430**
Glaucomatous visual field
effect of pilocarpine, **721**
loss, multi-fixation campimeter for detection, clinical evaluation, **332**
Granulomatous uveitis
and metipranolol: *correspondence*, **536**
Sporothrix schenckii endophthalmitis presenting as: *case report*, **61**
Graves' ophthalmopathy, and dysthyroid optic neuropathy, contrast sensitivity function, **709**

Haematoma, extradural, proptosis as presenting sign: *case report*, **179**
Haemorrhages, retinal, bilateral, following epidural injection: *case report*, **316**
Hashish consumption, persistent visual changes following: *case report*, **601**
Hereditary retinopathies, insight into a complex genetic aetiology: *editorial*, **469**
Herpes simplex virus, antigen presentation by corneal epithelium, **440**
Herpes zoster ophthalmicus, congenital, presumed: *case report*, **459**
Herpetic corneal ulcers, in Malawi: *correspondence*, **827**
HIV infection
impairment of tritan colour vision after initiation of zidovudine treatment: *case report*, **315**
neuroretinal dysfunction and impairment of colour contrast sensitivity, **716**
Human T cell lymphoma virus type 1 associated uveitis, clinical features, **274**
Hyperopia, transient, with lens swelling, at initial therapy in diabetes, **145**
Hypertension, ocular, chronic, alters local retinal responsiveness, **502**
Hyperthyroidism, and cavernous haemangioma of the orbit: *case report*, **676**
Hyphaema, spontaneous, associated with anterior uveitis, **635**
Hypromellose, intraocular use, link with fixed dilated pupil after cataract surgery, **639**

Immunoglobulin G-κ extramedullary plasmacytoma of the conjuctiva and orbit: *case report*, **255**
Immunohistochemical analysis of lattice corneal dystrophies types I and II, **799**
Interferon alfa treatment in age-related macular degeneration: *editorial*, **757**, **759**, **766**
Intracranial hypertension, and papilloedema, in chronic inflammatory demyelinating polyneuropathy: *case report*, **193**
Intralenticular foreign body, and a clear lens: *correspondence*, **828**
Intraocular antibody production to parvo B19 virus and adenovirus, in intermediate uveitis: *correspondence*, **829**
Intraocular lens, displaced, repositioning using reversed 10-0 straight polypropylene needle lasso technique: *case report*, **390**
Intraocular metastasis: *editorial*, **133**
incidence, analysis, **149**
Intraocular pressure
effect of topical ketanserin administration, **344**
rise, prevention following intravitreal injection, **572**
Intravitreal injection, intraocular pressure rise following, prevention, **572**
Ireland, west, glaucoma prevalence, **17**
Iridocorneal endothelial syndrome, and posterior polymorphous endothelial dystrophy, differential diagnosis: *correspondence*, **610**
Iridocyclitis, chronic, iris crystals: *case report*, **181**; *correspondence*, **466**
Iris
crystals
in chronic iridocyclitis: *case report*, **181**; *correspondence*, **466**
and uveitis: *correspondence*, **466**
cyst, after traumatic implantation of eyelash into anterior chamber: *case report*, **741**
spontaneous congenital epithelial cysts: *correspondence*, **63**
Ischaemia, retinal, and rubeosis, spontaneous development in eyes with retinal racemose angioma: *case report*, **124**
Italian family, retinitis pigmentosa, ataxia, and mental retardation, associated with mitochondrial DNA mutation, **84**

Juvenile xanthogranuloma of the iris, early treatment with subconjunctival steroids: *case report*, **57**

Keratectomy, photorefractive, implications of corneal wound healing: *perspective*, **243**
Keratitis, neurotrophic, presenting in infancy, with involvement of motor component of the trigeminal nerve: *case report*, **679**
Keratoconjunctivitis
'dead man's finger': *correspondence*, **63**
Manchineel, **284**
Keratopathy, lipid, primary, morphological and biochemical assessment: *case report*, **248**
Keratoplasty
deep lamellar, in bullous keratopathy: *correspondence*, **538**
penetrating, in severe ocular graft versus host disease: *case report*, **525**
Ketamine and midazolam for cryotherapy in retinopathy of prematurity: *case report*, **529**
Ketanserin, topical administration, effect on intraocular pressure, **344**

Lacrimal fossa mass, unusual, monostotic fibrous dysplasia of the orbit: *case report*, **54**
Lacrimal function, after D-shaped field irradiation for retinoblastoma, quantification, **482**
Lacrimal gland, pleomorphic adenoma: *correspondence*, **464**
Lamellar keratoplasty, deep, in bullous keratopathy: *correspondence*, **538**
Laser
ablation, of dyed sclera, in internal sclerostomy for glaucoma, **139**
diode
for photocoagulation of choroidal neovascular membranes, **218**
for retinopathy of prematurity, early outcome, **559**
fibreoptic cord, fractured: *correspondence*, **466**
flare cell meter, in retinal vein occlusion, **280**
neodymium YAG, in treatment of vitreous floaters, **485**
photocoagulation, resolution of external layer macular hole associated with optic nerve pit: *case report*, **457**
treatment in age-related macular degeneration: *editorial*, **757**
see also Nd-YAG laser
Lattice corneal dystrophies types I and II, immunohistochemical analysis, **799**
Leber's hereditary optic neuropathy
atypical, with 11778 mutation: *case report*, **748**
finger prick blood testing, **311**
Lens implantation, anterior chamber, for correction of ultra-high myopia in phakic eyes, retinal detachment following, **212**
Lens opacities in neurofibromatosis 2, further significant correlations, **354**
Leucocytoclastic vasculitis, and panuveitis and multifocal retinitis: *case report*, **318**
Leukaemia, T cell, adult, and recurrent episcleritis: *case report*, **743**
Limbal touch sensitivity, investigation using Cochet-Bonnet aesthesiometer, **339**
Lipid keratopathy, primary, morphological and biochemical assessment: *case report*, **248**
Local anaesthesia, choice: *editorial*, **758**
LOCS II classified cataracts, loss of contrast sensitivity in diabetic patients, **7**
Low tension glaucoma, visual field progression, regression analysis: *correspondence*, **194**
Lower lid entropion, cautery: *correspondence*, **465**

Lyme borreliosis
secondary retinitis pigmentosa and cerebral demyelination: *case report*, 120
and uveitis, 480

Macrophages
in pathobiology of epiretinal membranes, multifunctional cells for a multistage process: *editorial*, 686
in proliferative vitreoretinopathy and proliferative diabetic retinopathy, differentiation of subpopulations, 731
Macroprolactinomas, treated with new prolactin inhibitor CV 205-502, ophthalmic results, 785
Macular degeneration, age-related
choroidal neovascularisation: *editorial*, 614
early stages, immunofluorescence and EM study, 657
exudative, clinical experience with interferon alfa-2a, 766
prospects of new treatment: *editorial*, 757
treatment of choroidal neovascularisation with interferon alfa-2a and alfa-2b, 759
Macular hole surgery, stage III, 555
Malawi, herpetic corneal ulcers: *correspondence*, 827
Manchineel keratoconjunctivitis, 284
Manual dexterity: *history of ophthalmology*, 656
Melanoma
choroidal
local resection: *editorial*, 613
visual outcome after local resection, predictive factors, 616
conjunctival
clinical predictive factors for development of recurrence and metastasis, review of 68 cases, 624
topical chemotherapy: *case report*, 751
malignant, uveal, quantification, and MRI, 297
ocular, in xeroderma pigmentosum: *case report*, 597
orbital, necrotic, arising de novo: *case report*, 187
uveal
prognostic factors following enucleation, 111 patients, 688
treated with brachytherapy, calcification-like echographic pattern: *correspondence*, 827
Melanomas, metastases, and survival: *editorial*, 685
Meningiomas, orbital, surgery, radiotherapy, or hormones? *perspective*, 313
Mesangiocapillary glomerulonephritis, type II, with associated fundus abnormalities, electrophysiology, 778
Metastasis(es)
choroidal invasion of retinoblastoma, clinical risk factors, 544
intraocular: *editorial*, 133
intraocular, incidence, analysis, 149
melanomas, and survival: *editorial*, 685
in retinoblastoma, factors influencing: *editorial*, 541
Metipranolol, and granulomatous uveitis: *correspondence*, 536
Microbial contamination of contact lens cases, west of Scotland, 41
Mitochondrial DNA mutation, and retinitis pigmentosa, ataxia, and mental retardation, Italian family, 84
Mitomycin C
role in pterygium surgery, 43
topical, effects on primary trabeculectomies and combined procedures, 693
Molecular diagnosis, role in cataract and myotonic dystrophy, 579
Molecular genetics as 'probe' in ophthalmology: *editorial*, 134
Monoclonal antibodies, in investigation, diagnosis, and treatment of retinoblastoma: *perspective*, 805
Monocular temporal hemianopia, 24 patients, 424
Monocular visual outcome in untreated early onset esotropia, 492
Monostotic fibrous dysplasia of the orbit, unusual lacrimal fossa mass: *case report*, 54
Mucormycosis, orbital, with gas gangrene panophthalmitis: *case report*, 824
Multi-fixation campimeter, for detection of glaucomatous visual field loss, clinical evaluation, 332
Multifocal retinitis, and panuveitis, in leucocytoclastic vasculitis: *case report*, 318
Multiple evanescent white dot syndrome, visual field defect, focal electroretinogram: *case report*, 452
Myasthenia gravis, in dysthyroid ophthalmopathy, exotropia as sign: *case report*, 822
Mycoplasma pneumoniae infection, and cranial nerve palsy: *case report*, 750
Mycoplasmal infection, bilateral optic neuropathy and white dot syndrome following: *case report*, 673
Mycosis fungoides, ocular involvement: *case report*, 126
Mydriasis
bilateral congenital, Gillespie syndrome reported as: *correspondence*, 827
traumatic, thymoxamine: *correspondence*, 681
Mydriatic drop size, reduction, in premature infants, 364
Myopia, ultra-high, in phakic eyes, correction, retinal detachment following anterior chamber lens implantation, 212
Myotonic dystrophy and cataract, role of molecular diagnosis, 579

Nasal induction of tolerance with retinal antigens, 171
Nasolacrimal duct bypass tubes, adult, where do they go? *case report*, 449
Nd-YAG laser
posterior capsulotomy, acetazolamide to prevent intraocular pressure following, 136
in treatment of vitreous floaters, 485
Necrotic orbital melanoma arising de novo: *case report*, 187
Neurocytoma of the retina: *case report*, 382
Neurofibroma, orbital plexiform: *case report*, 527
Neurofibromatosis 1 and 2, clinical and genetic patterns: *perspective*, 662
Neurofibromatosis 2
lens opacities, further significant correlations, 354
ocular fundus, 646
Neuroglial choristoma, subcutaneous, immunohistopathological case study: *case report*, 817
Neuropathy, bilateral optic, and white dot syndrome, following mycoplasmal infection: *case report*, 673
Neuroretinal dysfunction and impairment of colour contrast sensitivity, in HIV infection or AIDS, 716
Neurotrophic keratitis presenting in infancy, with involvement of motor component of the trigeminal nerve: *case report*, 679
non-Hodgkin's lymphoma, anterior visual system involvement: *case report*, 184
Norrie's disease, manifesting heterozygosity: *case report*, 813
Notices, 63, 129, 194, 258, 323, 395, 467, 539, 611, 683, 755, 831

Obituary, T A Casey, 466
Ocular fundus, in neurofibromatosis type 2, 646
Ocular graft versus host disease, severe, penetrating keratoplasty: *case report*, 525
Ocular hypertension, chronic, alters local retinal responsiveness, 502
Ocular melanomas, in xeroderma pigmentosum: *case report*, 597
Ocular and vision defects, preschool children, 228
Ollier's disease, and intracavernous chondrosarcoma: *case report*, 599
Onchocerciasis endemic community, Sierra Leone, visual loss, 30
Open angle glaucoma, primary
in rhesus monkey, 302
untreated, rate of visual field loss, 176
Ophthalmic artery flow velocity
in glaucomatous and normal subjects, 25
reproducibility of transcranial Doppler ultrasound examinations, 22
Ophthalmic plaque radiotherapy, retrobulbar oedema after: *case report*, 604
Ophthalmic surgery, anaesthesia: *editorial*, 542
Ophthalmological quacks and mountebanks: *history of ophthalmology*, 365
Ophthalmology, molecular genetics as 'probe': *editorial*, 134
Ophthalmoscope, introduction, Helmholtz: *history of ophthalmology*, 514, 730
Optic atrophy, and choroidal rupture, association between, 33
Optic nerve pit
and external layer macular hole, resolution after laser photocoagulation: *case report*, 457
with serous macular detachment, resulting in rhegmatogenous retinal detachment: *case report*, 385
Optic nerve and retinal lesions, simultaneous, in toxoplasmosis, advantages of MRI: *case report*, 450
Optic neuritis
demyelinating, first episode, Farnsworth-Munsell 100 hue test, 68
and the Farnsworth-Munsell 100 hue test: *editorial*, 65
Optociliary veins, and central retinal vein occlusion, 774
Orbit
cavernous haemangioma, and hyperthyroidism: *case report*, 676
monostotic fibrous dysplasia, unusual lacrimal fossa mass: *case report*, 54
Orbital melanoma, necrotic, arising de novo: *case report*, 187
Orbital meningiomas, surgery, radiotherapy, or hormones? *perspective*, 313
Orbital multiple myeloma mimicking acquired angio-oedema: *case report*, 461
Orbital plexiform neurofibroma: *case report*, 527
Orbital volume measurement in management of pure blowout fractures of the orbital floor, 100
Outer canthus dermoid cysts, bone involvement, frequency and clinical significance, 789

Panophthalmitis, gas gangrene, and orbital mucormycosis: *case report*, 824
Panuveitis
coxsackievirus B3-associated: *case report*, 182
and multifocal retinitis, in leucocytoclastic vasculitis: *case report*, 318

Papilloedema, and intracranial hypertension, in chronic inflammatory demyelinating polyneuropathy: *case report*, **193**
Parapapillary chorioretinal atrophy, direct clinico-histological correlation, **103**
Parasitosis of the eye, uncommon, dirofilariasis: *case report*, **602**
Pars plana vitrectomy, for rhegmatogenous retinal detachment uncomplicated by advanced proliferative vitreoretinopathy, **199**
Parvo B19 virus and adenovirus, in intermediate uveitis, in search of intraocular antibody production: *correspondence*, **829**
Pasteurella multocida conjunctivitis: *case report*, **815**
Penetrating keratoplasty in severe ocular graft versus host disease: *case report*, **525**
Perfluorocarbon liquid, as surgical adjunct in surgical repair of stage V retinopathy of prematurity: *correspondence*, **258**
Perimetry, automated, trap of the displaced blind spot: *case report*, **254**
Phakic eyes, ultra-high myopia correction, retinal detachment following anterior chamber lens implantation, **212**
Phlebitis, retinal, and cancer-associated retinopathy, **795**
Photocoagulation of choroidal neovascular membranes with a diode laser, **218**
Photorefractive keratectomy, implications of corneal wound healing: *perspective*, **243**
Phthirus pubis infestation of the eyelids: *case report*, **815**
Pilocarpine
causing contact allergic dermatitis and contact urticaria: *case report*, **740**
effect on glaucomatous visual field, **721**
Pinealitis accompanying equine recurrent uveitis, **46**
Plasmacytoma, IgG-κ extramedullary, of the conjunctiva and orbit: *case report*, **255**
Platelet aggregating agent, targeted delivery for occlusion of retinal vessels, **233**
Pleomorphic adenoma of the lacrimal gland: *correspondence*, **464**
Polymerase chain reaction, in detection of *Toxoplasma gondii* in aqueous humour, **107**
Polyneuropathy, chronic inflammatory demyelinating, and intracranial hypertension and papilloedema: *case report*, **193**
Polypropylene needle, reversed 10-0 straight, lasso technique for displaced intraocular lens repositioning: *case report*, **390**
Post-traumatic angle recession glaucoma, risk factor for bleb failure after trabeculectomy, **631**
Posterior polymorphous endothelial dystrophy, and iridocorneal endothelial syndrome, differential diagnosis: *correspondence*, **610**
Premature infants
corneal diameter: *correspondence*, **128**
reduction in mydriatic drop size, **364**
with and without retinopathy of prematurity, follow-up study, **91**
Preschool children, ocular and vision defects, **228**
Private practice: *history of ophthalmology*, **409**
Prolactin inhibitor CV 205-502, for macroprolactinomas, ophthalmic results, **785**
Proptosis as presenting sign of extradural haematoma: *case report*, **179**
Prostanoid receptor, in ciliary muscle, EP_2 receptor is predominant, **110**
Proxymetacaine, novel ophthalmic delivery system and eye drops compared, for efficacy and duration, **713**
Psychophysical testing in glaucoma: *editorial*, **471**
Pterygium
as early indicator of ultraviolet insolation, a hypothesis: *perspective*, **734**
excision, with conjunctival autografting, effective and safe technique, **698**
surgery, role of mitomycin C, **43**
Ptosis, therapeutic, with botulinum toxin, in epikeratoplasty: *case report*, **820**
Pupillometry, clinical and infrared, in central retinal vein occlusion, **75**

Racemose angioma, retinal, spontaneous development of retinal ischaemia and rubeosis: *case report*, **124**
Radiotherapy, ophthalmic plaque, retrobulbar oedema after: *case report*, **604**
Radon seed treatment of retinoblastoma, choroidoretinal neovascularisation following, **95**
Regional anaesthesia for cataract surgery, three techniques compared, **771**
Regression pattern, relationship to recurrence, in retinoblastoma, **12**
Renal failure, chronic, limbal and corneal calcification, **569**
Retina, retinal
antigens, nasal administration suppresses inflammatory response in experimental allergic uveoretinitis, **171**
arterial macroaneurysm, in congenital heart disease: *case report*, **606**
detachment
extensive, with optic nervehead coloboma, and anomalous Cloquet's canal: *case report*, **381**
following anterior chamber lens implantation for correction of ultra-high myopia in phakic eyes, **212**
rhegmatogenous, uncomplicated by advanced proliferative vitreoretinopathy, pars plana vitrectomy, **199**
dysplasia, dominantly inherited: *case report*, **378**
haemorrhages, bilateral, following epidural injection: *case report*, **316**
ischaemia, carotid ultrasound lesion morphology, prognostic value, long term follow up, **781**
neurocytoma: *case report*, **382**
and optic nerve lesions, simultaneous, in toxoplasmosis, advantages of MRI: *case report*, **450**
phlebitis, and cancer-associated retinopathy, **795**
reattachment surgery, expanding role of vitrectomy: *editorial*, **197**
responsiveness, local, chronic ocular hypertension alters, **502**
specific antigens, cellular autoimmunity, in Behçet's disease, **584**
vascular leakage, and cystoid macular oedema, secondary to central serous chorioretinopathy: *case report*, **744**
vein occlusion, aqueous flare and cells in eyes, correlation with retinal fluorescein angiographic findings, **280**
vessels
in diabetic patients, ultrastructure, **574**
occlusion, using targeted delivery of platelet aggregating agent, **233**
Retinitis, multifocal, and panuveitis, in leucocytoclastic vasculitis: *case report*, **318**
Retinitis pigmentosa
ataxia, and mental retardation, associated with mitochondrial DNA mutation, Italian family, **84**
autosomal dominant
with apparent incomplete penetrance, **473**
ocular findings, and frameshift mutation altering carboxyl terminal sequence of rhodopsin, **495**
secondary, and cerebral demyelination, in Lyme borreliosis: *case report*, **120**
Retinoblastoma
choroidal invasion, metastatic potential and clinical risk factors, **544**
choroidoretinal neovascularisation following radon seed treatment, **95**
metastasis, factors influencing: *editorial*, **541**
monoclonal antibodies in investigation, diagnosis, and treatment: *perspective*, **805**
quantification of lacrimal function after D-shaped field irradiation, **482**
relationship of regression pattern to recurrence, **12**
Retinopathy
cancer-associated, with retinal phlebitis, **795**
central serous, visual loss, in SLE: *case report*, **607**
hereditary, insight into a complex genetic aetiology: *editorial*, **469**
of homozygous sickle cell disease, influence of α thalassaemia, **89**
Retinopathy of prematurity
cryotherapy, sedation with nasal ketamine and midazolam: *case report*, **529**
development, in prematurely born children, Sweden, **417**
diode laser, early outcome, **559**
premature infants with and without, follow-up study, **91**
stage V, surgical repair, perfluorocarbon liquid as surgical adjunct: *correspondence*, **258**
Retrobulbar oedema after ophthalmic plaque radiotherapy: *case report*, **604**
Rhegmatogenous retinal detachment
as result of optic nerve pit with serous macular detachment: *case report*, **385**
uncomplicated by advanced proliferative vitreoretinopathy, pars plana vitrectomy, **199**
Rhesus monkey, primary open angle glaucomas, **302**
Rhodopsin, carboxyl terminal sequence, and autosomal dominant retinitis pigmentosa, **495**
Rubella, congenital, ophthalmic manifestations and associated systemic disorders, **358**
Rubeosis, and retinal ischaemia, spontaneous development in eyes with retinal racemose angioma: *case report*, **124**

S-antigen, does autoimmunity play a role in Fuchs' heterochromic cyclitis? **436**
Scanning laser ophthalmoscope, in evaluation of idiopathic epiretinal membranes: *case report*, **534**
Scleral and corneal defects, split-thickness dermal grafts for repair, 10 patients, **327**
Scleral necrosis, ß irradiation induced, bilateral streptococcal corneoscleritis complicating: *case report*, **251**
Sclerostomy, internal, using laser ablation of dyed sclera, in glaucoma, **139**
Scytalidium dimidiatum fungal endophthalmitis: *case report*, **388**
Sebaceous gland carcinoma, multicentric, of the lid: *case report*, **819**
Sedation with nasal ketamine and midazolam, for cryotherapy in retinopathy of prematurity: *case report*, **529**
Sequential optic neuropathy, bilateral, causing severe visual loss, and Churg-Strauss vasculitis: *case report*, **118**

Serous macular detachment, optic nerve pit, resulting in rhegmatogenous retinal detachment: *case report*, **385**
Sex, diabetes, glaucoma, and cataract: *editorial*, **1**
analysis of combined data from two case control studies, **2**; *correspondence*, **464**
Sickle cell disease, homozygous, retinopathy, influence of α thalassaemia, **89**
Sierra Leone, visual loss in onchocerciasis endemic community, **30**
Silicone oil
intravitreal, anisometropic amblyopia and strabismus following, successful treatment: *case report*, **321**
removal following diabetic vitrectomy, **204**
Spectacles, invention: *history of ophthalmology*, **568**
Split-thickness dermal grafts, for repair of corneal and scleral defects, 10 patients, **327**
Sporothrix schenckii endophthalmitis, presenting as granulomatous uveitis: *case report*, **61**
Steroids, subconjunctival, in early treatment of juvenile xanthogranuloma of the iris: *case report*, **57**
Strabismus and anisometropic amblyopia following intravitreal silicone oil, successful treatment: *case report*, **321**
Streptococcal corneoscleritis, bilateral, complicating ß irradiation induced scleral necrosis: *case report*, **251**
Subfoveal neovascular membranes, age-related, treatment by teletherapy: *editorial*, **261**, **265**
Subretinal exudative deposits in central serous chorioretinopathy, **349**
Subretinal fluid, suture needle drainage, **428**
Subtentorial arachnoid cyst, with slow accommodation release: *case report*, **678**
Surgery, eyelid, community-based, for trichiasis due to trachoma, results, **81**
Suture needle drainage of subretinal fluid, **428**
Systemic lupus erythematosus, central serous retinopathy and visual loss: *case report*, **607**

T cell leukaemia, adult, and recurrent episcleritis: *case report*, **743**
T cells, activated, in animal model of allergic conjunctivitis, **509**
T lymphotropic virus type 1 uveitis, familial clustering: *case report*, **747**
Teletherapy, in treatment of age-related subfoveal neovascular membranes: *editorial*, **261**, **265**
Thalassaemia-α, influence on retinopathy of homozygous sickle cell disease, **89**
Thelaziasis, report of two case, **528**
Third nerve palsy, congenital, associated with mid-trimester amniocentesis: *case report*, **530**
Thymoxamine, in treatment of traumatic mydriasis: *correspondence*, **681**
Tono-Pen tonometry: *correspondence*, **754**
Tonometry
comparison of methods, time for change of approach: *correspondence*, **754**
Tono-Pen: *correspondence*, **754**
Toxicity, ocular, and 5-fluorouracil: *correspondence*, **465**
Toxocariasis, ocular, in patient with repeatedly negative ELISA titre to *Toxocara canis*: *case report*, **253**
Toxoplasma gondii, detection in aqueous humour by polymerase chain reaction, **107**
Toxoplasmosis
ocular, contralateral active, in Fuchs' heterochromic cyclitis: *case report*, **455**
ocular involvement: *perspective*, **371**: correction, **683**
simultaneous retinal and optic nerve lesions, advantages of MRI: *case report*, **450**
Trabeculectomy
bleb failure after, post-traumatic angle recession glaucoma as risk factor, **631**
primary, and combined procedures, effects of topical mitomycin C, **693**
Trachoma
causing trichiasis, community-based eyelid surgery, results, **81**
the future for a disease of the past: *editorial*, **66**
Transcranial Doppler ultrasound examinations of ophthalmic artery flow velocity, reproducibility, **22**
Translocations, unbalanced, and coloboma, two cases: *case report*, **122**
Traumatic mydriasis, thymoxamine: *correspondence*, **681**
Treacher-Collins syndrome, ophthalmic features and visual prognosis, **642**
Trichiasis, due to trachoma, community-based eyelid surgery, results, **81**
Trigeminal nerve, motor component, and neurotrophic keratitis presenting in infancy: *case report*, **679**
Tritan colour vision, impairment after initiation of treatment with zidovudine in HIV disease or AIDS: *case report*, **315**
Twins, monozygous, late onset esotropia: *case report*, **189**

Ultraviolet light exposure, intense, and contact lens wear, association with presumed corneal intraepithelial neoplasia: *case report*, **191**
Urticaria, contact, and contact allergic dermatitis, due to topical ophthalmic preparations: *case report*, **740**
Uveal malignant melanomas
metastases, and survival: *editorial*, **685**
prognostic factors following enucleation, 111 patients, **688**
quantification, and MRI, **297**
treated with brachytherapy, calcification-like echographic pattern: *correspondence*, **827**
Uveitis
anterior, and spontaneous hyphaema, **635**
equine recurrent, and pinealitis, **46**
granulomatous
and metipranolol: *correspondence*, **536**
Sporothrix schenckii endophthalmitis presenting as: *case report*, **61**
HTLV-I associated, clinical features, **274**
intermediate, in search of intraocular antibody production to parvo B19 virus and adenovirus: *correspondence*, **829**
and iris crystals: *correspondence*, **466**
and Lyme borreliosis, **480**
new entities: *editorial*, **262**
T lymphotropic virus type 1, familial clustering: *case report*, **747**
Uveoretinitis, experimental allergic, nasal administration of retinal antigens suppresses inflammatory response, **171**

Vision defects, preschool children, **228**
Visual electrodiagnostics, evolving role: *editorial*, **397**
Visual field
defect, in multiple evanescent white dot syndrome, focal electroretinogram: *case report*, **452**
loss
with capillary non-perfusion, in preproliferative and early proliferative diabetic retinopathy, **726**
rate, in untreated primary open angle glaucoma, **176**
progression, in low tension glaucoma, regression analysis: *correspondence*, **194**
Visual loss
in AIDS patients, rare cause, central retinal vein occlusion: *case report*, **600**
from central serous retinopathy, in SLE: *case report*, **607**
Vitrectomy
diabetic, silicone oil removal following, **204**
expanding role in retinal reattachment surgery: *editorial*, **197**
pars plana, for rhegmatogenous retinal detachment uncomplicated by advanced proliferative vitreoretinopathy, **199**
Vitreoretinopathy, proliferative
advanced, not complicating rhegmatogenous retinal detachment, pars plana vitrectomy, **199**
and proliferative diabetic retinopathy
macrophages, differentiation of subpopulations, **731**
origin of fibronectin in epiretinal membranes, **238**
Vitreoretinopathy, X linked exudative, clinical features and genetic linkage analysis, **168**
Vitreous floaters, treatment with neodymium YAG laser, **485**
von Helmholtz, Hermann, and the introduction of the ophthalmoscope: *history of ophthalmology*, **514**, **730**

Wharton Jones, Thomas, nineteenth century ophthalmologist: *history of ophthalmology*, **777**
White dot syndrome, and bilateral optic neuropathy, following mycoplasmal infection: *case report*, **673**

X^2 test for data collected on eyes, **115**
X linked exudative vitreoretinopathy, clinical features and genetic linkage analysis, **168**
X linked ocular albinism, clinical features of affected males, **222**
Xanthogranuloma of the iris, juvenile, early treatment with subconjunctival steroids: *case report*, **57**
Xeroderma pigmentosum, ocular melanomas: *case report*, **597**

Zidovudine, in HIV disease or AIDS, and impairment of tritan colour vision: *case report*, **315**